

	Molécule	Formule	Quantité	Fournisseur	Application	FAMILLE	Remarque	NOUVELLE LOCALISATION	Frigo/co ngelo	temp eratu re	boite
prot	keratine bovine		1g	ICN		proteine		reserve chim		RT	30
Tox	(-)-riboflavine		25g	sigma		toxique		reserve chim		RT	52-2
Tox	(-)-riboflavine		250g	sigma		toxique		reserve chim		RT	17
Tox	(+/-) verapamil hydrochloride		1g	sigma		toxique		reserve chim		RT	52-1
acide	(+/-)-alpha-lipoic acid		1g	sigma		acide poudre		reserve chim		RT	35
AB-AF	(+/-)miconazole		1g*2	sigma		AB-AF		reserve chim		RT	34
chim	(+/-)-propylenoxid		200mL	fluka		chimique		reserve chim		RT	45
N°	(gal-beta-o-cete)N-BSA		10 mg	janssen		sucre		Ch. Froide		4°C	
N°	1,10-pheanthroline monohydrate		1g	sigma							N°
Tox	1,10-phenanthroline		5g	sigma		toxique		reserve chim		RT	52-2
chim	1,2-propylenoxid		1l	merck		chimique		reserve chim		RT	45
N°	1,4 benzoquinone		1g	sigma							N°
N°	1,4 dithioerythitol		5g	fluka							N°
N°	1,4-diaminobutane dihydrochloride		5g	sigma							N°
N°	1,4-dithio-DL-threitol (DTT)		reliquat	fluka	2D	reducteur					N°
N°	1,4-dithioerythritol		5g	merck							N°
N°	1-ethyl-3(3-Dimethyl-amino-propyl)-carbodiimide-HCl		???	sigma							N°
2	2 mercaptoethanol	HOCH ₂ CH ₂ SH	100 ml	Sigma	1	reducteur		reserve N-1			
2	2 mercaptoethanol	HOCH ₂ CH ₂ SH	25 ml	Sigma	1	reducteur		reserve N-1			
	2-(4-dimethylaminostyryl)-1-methylpyridinium		1g*2	sigma		iode		reserve chim		RT	36
N°	2,2'-azinobis(3-ethylbenzothiazoline-6-sulfonic acid)		50 mg	aldrich							N°
	2,3-butanedionemonoxime		25g	sigma				reserve chim		RT	53
N°	2,4,6-tris-(dimethylaminomethyl)phenol		250 mL	fluka							N°
N°	2,6,10,14-tetramethylpentadecane (pristane)		100ml	sigma	immunisation						N°
N°	2-acetamido-2-deoxy-3-O-beta-D-galactopyranosyl-D-galac		1mg	sigma			pas ouvert	Ch. Froide		4°C	N°
N°	2-amino-2-methylpropanol-(1)		250 g	merck							N°
N°	2-amino-5-fluorobenzoic acid		1g	sigma							N°
N°	2-amino-5-fluorobenzoic acid		1g	aldrich							N°
Tox	2-chloro acetamide		100g	sigma		toxique		reserve chim		RT	52-1
Tox	2-chloro-acetamide		100g	sigma		toxique		reserve chim		RT	52-1
sucre	2-deoxy-D-glucose		1g	sigma		sucre	pas ouvert	reserve chim		RT	10

	2-ethoxy-1-ethoxycarbonyl-1,2-dihydroquinoline	50g	fluka				reserve chim		RT	53
N°	2-mercaptoethanol	250 mL	merck		reducteur					N°
N°	2-mercaptoethylamine	25g	sigma							N°
N°	3-(N-morpholino)propanesulphonic acid electran	100g	prolabo							N°
N°	3,3'-diaminobenzidine	5g	sigma	revelation HRF	substrat		placard biochimie		RT	
N°	3,3'-diaminobenzidine tetrahydrochloride	5g	sigma	revelation HRF	substrat	pas ouvert	Manip champi	C9	-20°C	N°
N°	3,3'-diaminobenzidine tetrahydrochloride	10g	sigma	revelation HRF	substrat		placard biochimie		RT	
N°	3-amino-0-ethylcarbazole	50 g	sigma							N°
N°	3-amino-1,2,4-triazole	25g	sigma		toxique					N°
N°	3-amino-9-ethyl-carbazole (AEC)	10 tablets	sigma				placard biochimie		RT	
N°	3-methyl-2-benzo-thiazolinone hydrazone	5g +1g	sigma							N°
	4-(dimethylamino)-benzaldehyde	100g	merck				reserve chim		RT	53
	4',6-diamidino-2-phenylindole dihydrochloride	5mg	biochemika				reserve chim		RT	53
N°	4-aminobenzoic acid	5g	sigma							N°
N°	4-chloro-1-Naphtol	5g	sigma	revelation enz	substrat	pas ouvert	Manip champi	C9	-20°C	N°
N°	4-chloro-1-Naphtol (30 mg)	5 tablettes	sigma	revelation enz	substrat					N°
N°	4-fluoro-DL-phenylalanine	1g	alfa aesar							N°
N°	4-nitroaniline									N°
N°	4-nitrophenyl phosphate disodium salt hexahydrate, 20 mg tablets		sigma				Manip champi	C9	-20°C	N°
N°	4-O-[2-acetylamino]-2-deoxy-beta-D-galactopyranosyl]-D-g	1mg	sigma				Manip champi	C9	-20°C	N°
N°	4-phenylbutylamine	5mL	sigma							N°
acide	5,5', acide diethylbarbiturique	100g	merck		acide poudre		reserve chim		RT	35
acide	5,5-diethyl acide barbital	1kg	merck		acide poudre		reserve chim		RT	35
N°	5-bromo-4-chloro-3-indolyl phosphate	100mg +100	sigma		substrat		Manip champi	C9	-20°C	N°
N°	5-bromo-4-chloro-3-indolyl phosphate	100mg +100	sigma		substrat					N°
N°	5-bromo-4-chloro-3-indolyl-beta-D-galactopyranoside	1g	biochemika		substrat					N°
N°	5-fluorouracil	1g	sigma							N°
N°	5-FOA (fluorotic acid, monohydrate)	1g	zymo research				Manip champi	C9	-20°C	N°
Tox	5-quinolinol	1g*2	fluca		toxique		reserve chim		RT	52-1
acide	5-sulfosalicylique acide	1kg	merck		acide poudre		reserve chim		RT	35
N°	7-amino-4-methylcoumarin	250 mg	sigma							N°
Tox	8-anilino-1-naphtalenesulfonic acid	50g	sigma		toxique	pas ouvert	reserve chim		RT	53
Tox	8-anilino-1-naphtalenesulfonic acid	5g	sigma		toxique	pas ouvert	reserve chim		RT	52-2
N°	8-azaguanine	5g	sigma	culture cell			Frigo cult cell	F1	4°C	N°

Tox	8-hydroxyquinoliine		25g	sigma		toxique		reserve chim		RT	52-1
K	acetate d'ammonium		250 g	prolabo		ammonium		reserve chim		RT	4
Li	acetate de lithium di-hydrate		250g	alfa aesar		lithium		reserve chim		RT	3
Mg	acetate de magnesium		250g	rectapur		magnesium		reserve chim		RT	5
Hg	acetate de mercure		5g*4	prolabo		toxique		reserve chim		RT	52-1
K	acetate de potassium		250g	prolabo		potassium		reserve chim		RT	8'
K	acetate de potassium		250g	prolabo		potassium		reserve chim		RT	8'
K	acetate de potassium		500g	prolabo		potassium		reserve chim		RT	8'
Zn	acetate de zinc		250g	prolabo		zinc		reserve chim		RT	3
A	acethydroxamic acid		5g	acros		acide		Ch. Froide		4°C	A
solv	acetone		2L	fisher		solvant		reserve chim		RT	44
solv	acetone	CH ₃ COCH ₃	1 L	Prolabo	1	solvant		reserve N-1			
solv	acetone	CH ₃ COCH ₃	1 L	Merck	1	solvant		reserve N-1			
chim	acetonitrile		5ml	sigma		chimique		reserve chim		RT	45
chim	acetonitrile		1L	merck		chimique		reserve chim		RT	45
solv	acetylacetone		500ml	sigma		solvant		reserve chim		RT	44
acide	acide acetique		500mL+2,5L	VWR		acide liquide		reserve chim		RT	51
acide	acide acetique		1L+1L	fisher		acide liquide		reserve chim		RT	50
acide	acide alpha cetoglutarique		25g	merck		acide poudre		reserve chim		RT	35
acide	acide borique		250g+1kg	merck		acide poudre		reserve chim		RT	35
acide	acide borique cristallise		100g	prolabo		acide poudre		reserve chim		RT	35
acide	acide cacodylique sels de sodium trihydrate		50g	fluka		acide poudre		reserve chim		RT	35
acide	acide chlorhydrique		1L+1L+1L+5L	fisher		acide liquide		reserve chim		RT	52
acide	Acide chlorhydrique 37%	HCl	1 L+1L+1L	Prolabo	3	acide liquide		reserve N-1			
acide	acide citrique		1kg	acros		acide poudre		reserve chim		RT	35
acide	acide citrique	HOC(COOH)(CH ₂) ₂	500 g	Sigma	1	acide poudre		reserve N-1			
acide	acide citrique		500g	touzard		acide poudre		reserve chim		RT	35
acide	acide citrique monohydrate		500g	merck		acide poudre		reserve chim		RT	35
deter	acide deoxycholique		flacon	???		detergent		reserve chim		RT	37-1
deter	acide deoxycholique		100g	acros		detergent		reserve chim		RT	37-1
acide	acide -D-pantothenique		50g	BDH		acide poudre		reserve chim		RT	35
chelateur	acide ethylene-diamino tetra acetique (EDTA)		1kg	merck		chelateur		reserve chim		RT	13
chelateur	acide ethylene-diamino tetra acetique (non sodique)(EDTA)		250g	fisher		chelateur		reserve chim		RT	13
chelateur	acide ethylene-diamino tetra acetique , sel disodique anhy		1kg	prolabo		chelateur		reserve chim		RT	13

A	acide folique		5g	merck		acide		Ch. Froide		4°C	A
acide	acide folique		1g	sigma		acide poudre		reserve chim		RT	17
acide	acide gluconique		100g	sigma		acide poudre		reserve chim		RT	35
A	acide iodoacétique		25g	merck		acide		Ch. Froide		4°C	A
acide	acide L aspartique		50g	merck		acide poudre		reserve chim		RT	35
acide	acide lactique		1L	SAFC		acide liquide		reserve chim		RT	51
acide	acide lactique		200 mL	scharlau		acide liquide		reserve chim		RT	51
acide	acide levulinique		250mL	acros		acide liquide		reserve chim		RT	50
acide	acide levulinique		1kg	acros		acide poudre		reserve chim		RT	35
acide	acide maleique		1kg	fluka		acide poudre		reserve chim		RT	35
acide	Acide maléique	HO ₂ CCH=CHCO ₂ H	500 g	Sigma	1	acide		reserve N-1			
acide	acide maleique anhydre		500g	sigma		acide poudre		reserve chim		RT	35
A	Acide mycophénolic 96%		1g	alfa aesar			Achat 2016	manip champi	C9	-20°C	A
acide	acide nicotinique		100g	Sigma		acide		reserve chim		RT	17
acide	Acide nicotinique	C ₆ H ₅ NO ₂	100 g	Prolabo	1	acide		reserve N-1			
acide	Acide nicotinique	C ₆ H ₅ NO ₂	100 g	Merck	1	acide		reserve N-1			
acide	acide nicotinique		100g	merck		acide poudre		reserve chim		RT	35
acide	acide nitriloacetique		100g	sigma		acide poudre		reserve chim		RT	35
acide	acide nitrique		1L	prolabo		acide liquide		reserve chim		RT	51
acide	Acide nitrique	HNO ₃	1 L	Prolabo	1	acide		reserve N-1			
acide	Acide ortho-borique	H ₃ BO ₃	500 g + 500g	Prolabo	2	acide		reserve N-1			
acide	Acide orthophosphorique	H ₃ PO ₄	1 L	Merck	1	acide		reserve N-1			
acide	acide orthophosphorique 85%		1L+1L	prolabo		acide liquide		reserve chim		RT	51
acide	acide palmitique		100g	sigma		acide poudre		reserve chim		RT	35
acide	acide palmitique		100g	sigma		acide poudre		reserve chim		RT	35
acide	acide perchlorique		500mL	prolabo		acide liquide		reserve chim		RT	51
acide	acide perchlorique		200mL	prolabo		acide liquide		reserve chim		RT	50
acide	acide periodique		25g+25g	merck		acide poudre		reserve chim		RT	35
acide	acide phosphomolybdique		25g	???		acide poudre		reserve chim		RT	35
acide	acide phosphotungstique		100g	carlo erba		acide poudre		reserve chim		RT	35
acide	acide phosphotungstique		100g	prolabo		acide poudre		reserve chim		RT	35
acide	acide phosphotungstique		100g	merck		acide poudre		reserve chim		RT	35
acide	Acide picrique	(O ₂ N) ₃ C ₆ H ₂ OH	500 ml	Prolabo	1	acide		reserve N-1			

acide	Acide picrique		1 kg+1kg	Prolabo	2	acide		reserve N-1			
acide	acide pyruvique sel de sodium		250g	merck		acide poudre		reserve chim		RT	35
acide	acide pyruvique sel de sodium		250g	merck		acide poudre		reserve chim		RT	35
acide	acide salicylhydroxamique		25g	aldrich		acide		reserve chim		RT	53
acide	acide succinique		500g	sigma		acide poudre		reserve chim		RT	35
acide	acide succinique		100g	sigma		acide poudre		reserve chim		RT	35
acide	acide sulfosalicylique		250g	baker		acide poudre		reserve chim		RT	35
acide	acide sulfurique		500mL	prolabo		acide liquide		reserve chim		RT	51
acide	acide sulfurique		1L	riedel dehaen		acide liquide		reserve chim		RT	51
acide	Acide sulfurique	H ₂ SO ₄	1 L	Riedel	3	acide		reserve N-1			
acide	Acide sulfurique		1 L+1L	Carlo Erba	2	acide		reserve N-1			
Tox	acide tannique		100g	fluka		toxique		reserve chim		RT	52-2
acide	acide trichloracetique 3%		500mL	sigma		acide liquide		reserve chim		RT	51
acide	acide trichloracetique poudre		1kg	merck		acide liquide					
acide	Acide trichloroacétique solution 3%		500 ml	Sigma	1	acide		reserve N-1			
acide	acide trifluoroacetique		25mL	sigma		acide liquide		reserve chim		RT	51
acide	acide urique		10g	sigma		acide poudre		reserve chim		RT	35
col	acridine orange		10g	Sigma		col orange		reserve chim		RT	28
A	acridine orange 10-nonyl bromide		100mg	molecular probes				Ch. Froide		4°C	A
bioch	acrylamide		100g	merck	SDS-PAGE			placard biochimie		RT	
A	acrylamide-bisacrylamide (solution 40%)		1L*2	biosolve	SDS-PAGE			Ch. Froide		4°C	A
A	actine		1mg	sigma		proteine		Ch. Froide		4°C	A
A	adenosine 5'-diphosphate		100mg	Sigma				Manip champi	C9	-20°C	A
A	adenosine 5'-triphosphate		1g	Sigma				Manip champi	C9	-20°C	A
A	adjuvant complet de freund		4 * 10 mL	Difco	immunisation	adjuvant	pas ouvert	Ch. Froide		4°C	A
A	adjuvant de freund complet				immunisation	adjuvant		Ch. Froide		4°C	A
sucre	adonitol		25g	Sigma		sucre		reserve chim		RT	10
A	ADP 5mg/mL dans ED		500 µl					Manip champi	C9	-20°C	A
A	agarose A		100g	pharmacia		agarose		Ch. Froide		4°C	A
A	agarose low gelling temperature		5g	Sigma	2D	agarose		Ch. Froide		4°C	A
A	agarose low melting		1g	???	2D	agarose		Ch. Froide		4°C	A
A	agarose pour IEF		10 g + 10g +	pharmacia	IEF	agarose		Ch. Froide		4°C	A
A	agarose pour IEP		20g + 20g	bioméieux	IEP	agarose		Ch. Froide		4°C	A
A	agarose Z		???	LKB	IEF	agarose		Ch. Froide		4°C	A

AB-AF	albendazole		10g	sigma		AB-AF		reserve chim		RT	34
A	albumine bovine		???	sigma		proteine		Ch. Froide		4°C	A
A	albumine bovine		10g +10g	ID bio		proteine		Ch. Froide		4°C	A
A	albumine bovine		10g +10g	BDP		proteine		Ch. Froide		4°C	A
A	albumine bovine		1g	BDP		proteine		Ch. Froide		4°C	A
A	albumine bovine -biotine labeled		10 mg *2	Sigma		proteine		Ch. Froide		4°C	A
A	albumine bovine -fluoresceine isothiocyanate		50 mg *2	sigma		proteine		Ch. Froide		4°C	A
A	albumine bovine fraction V		100g	Uptima		proteine		Ch. Froide		4°C	A
A	albumine bovine para-aminophenyl N-acetyl-beta-D-galact		2mg	Sigma		proteine		Manip champi	C9	-20°C	A
A	albumine bovine-fucosylamide		5mg	sigma		proteine		Ch. Froide		4°C	A
A	albumine bovine-fucosylamide biotin labeled		5mg	sigma		proteine		Manip champi	C9	-20°C	A
A	albumine bovine-para-aminophenyl-N-acetyl-beta-D-galact		5mg	Sigma		proteine		Manip champi	C9	-20°C	A
A	albumine de lapin fraction V		500 mg	Sigma		proteine		Manip champi	C9	-20°C	A
A	albumine étalon dosage prot		ampoule	???	dosage prot	proteine		Manip champi	C9	-20°C	A
A	albumine-bovine-glucosamide		10 mg *2	Sigma		proteine		Ch. Froide		4°C	A
chim	alcool dénaturé		1L	???		chimique		reserve chim		RT	47
alcool	alcool iso-amylique		250 mL	erba		alcool		reserve chim		RT	46
alcool	alcool iso-amylique		500mL	sigma		alcool		reserve chim		RT	46
alcool	alcool n butilique (butanol)		200mL	erba		alcool		reserve chim		RT	46
	allantoine		100g	BDH				reserve chim		RT	17
A	alpha-chymotrypsine		1g	merck		enzyme		Ch. Froide		4°C	A
sucre	alpha-D-(+)-melibiose		25g	Sigma		sucre		reserve chim		RT	10
sucre	alpha-D-melibiose		10g +10g	koch-light		sucre		reserve chim		RT	10
A	alpha-lactalbumine (from bovine milk)		25 mg*2	Sigma		proteine		Manip champi	C9	-20°C	A
sucre	alpha-L-rhamnose		25g	sigma		sucre		reserve chim		RT	10
sucre	alpha-methyl-D-mannopyranoside		100g	acros		sucre		reserve chim		RT	10
K	alun de potassium		250g	prolabo		potasium		reserve chim		RT	8
A	amberlite XAD-16		25 g	Sigma	adsorbant			Ch. Froide		4°C	A
	amberlite XAD4		1kg	sigma				placard biochimie		RT	
sucre	amidon		50g + 25g	merck		sucre		reserve chim		RT	11
	amidoschwarz 10B		25g + 25g+2	merck	Western-blot	colorant		placard biochimie		RT	
A	amiodarone		1g	sigma		toxique		Ch. Froide		4°C	A
NH4	Ammonium acetate	CH ₃ COONH ₄	500 g	Sigma		ammonium		reserve N-1			
NH4	ammonium acetate		1kg	riedel-dehaen		ammonium		reserve chim		RT	4

NH4	ammonium bicarbonate		500g	sigma		ammonium		reserve chim		RT	4
NH4	ammonium chlorure		1kg	normapur		ammonium		reserve chim		RT	4
NH4	ammonium nitrate		500g	sigma		ammonium		reserve chim		RT	4
NH4	ammonium peroxodisulfate		50g	mercl		ammonium		reserve chim		RT	4
NH4	ammonium persulfate		1kg *2	biosolve		ammonium		reserve chim		RT	4
A	ammonium persulfate		25g + 100g	sigma	SDS-PAGE	ammonium		placard biochimie		RT	
A	ammonium persulfate		10g + 10g	biorad	SDS-PAGE	ammonium		placard biochimie		RT	
A	ammonium persulfate		500g	merck	SDS-PAGE	ammonium		placard biochimie		RT	
NH4	ammonium phosphate		100g	prolabo		ammonium		reserve chim		RT	4
NH4	ammonium sulfate		50 g	acros		ammonium		reserve chim		RT	4
NH4	ammonium sulfate		1kg	acros		ammonium		reserve chim		RT	4
NH4	ammonium sulfate	(NH ₄) ₂ SO ₄	1Kg+1Kg+1Kg+1Kg+1Kg			ammonium		reserve N-1			
NH4	Ammonium sulfate	(NH ₄) ₂ SO ₄	1 kg+1kg+1kg	Acros	3	ammonium		reserve N-1			
NH4	Ammonium sulfate-fer	Fe(SO ₄) ₂ .12H ₂ O	1 kg	Merck	1	ammonium		reserve N-1			
NH4	ammonium tartrate dibasic		100g	sigma		ammonium		reserve chim		RT	4
Fe	ammonium-fer(III) sulfate		200g	prolabo		fer		reserve chim		RT	4
Fe	ammonium-fer(III) sulfate		1kg	merck		fer		reserve chim		RT	4
A	amphotericine B		100 mg	sigma		AB-AF		Ch. Froide		4°C	A
A	amphotericine B (cp)		cp	eurobio	Antifongigram	AB-AF		Ch. Froide		4°C	A
A	amphotéricine B from streptomyces sp		250 mg	sigma		AB-AF		Manip champi	C9	-20°C	A
A	amphotericine B solution sterile filtered		20 mL	sigma		AB-AF		Manip champi	C9	-20°C	A
A	ampicilline		5g	Sigma		AB-AF		Ch. Froide		4°C	A
A	anti-chymotrypsine insoluble (linked to carboxymethyl cell		25 mg*2	Sigma				Manip champi	C9	-20°C	A
A	antigen aspergillus nidulans		1 ml	sanofi				Ch. Froide		4°C	A
A	antigen aspergillus niger		1 ml	sanofi				Ch. Froide		4°C	A
A	antigene aspergillus flavus standardisée		1mL	sanofi				Ch. Froide		4°C	A
A	anti-gliar fibrillary acidic protein (GFAP)		1mL	Sigma				Manip champi	C9	-20°C	A
A	asolectin		250g	fluka		lectine		Ch. Froide		4°C	A
col	auramine		10g	RAL		col divers		reserve chim		RT	25
A	avidine-peroxidase labeled		0,5 mg	Sigma		strepta		Manip champi	C9	-20°C	A
cell	Azaserine		50 mg *2	Sigma	culture cell			Frigo cult cell	F1	4°C	
Na	Azide de sodium		50g	fisher		toxique		reserve chim		RT	52-1
Na	Azide de sodium		100g	sigma		toxique		reserve chim		RT	52-1
Na	azoture de sodium		50g	prolabo		toxique		reserve chim		RT	52-1

Na	azoture de sodium		100g	prolabo		toxique		reserve chim		RT	52-1
B	bacitracin		250 000U	Sigma		AB-AF		Ch. Froide		4°C	B
B	baLight mounting oil		10 mL	molecular pro	microscopie			Ch. Froide		4°C	B
cult	bacto casitone (pancreatic digest of casein)		500g	BD		culture		preparatoire		RT	
acide	barbital		100g	labosi		acide poudre		reserve chim		RT	35
acide	barbital sodique		250g	labosi		acide poudre		reserve chim		RT	35
micro	baume du canada		50 ml +100ml	merck		microscopie		reserve chim		RT	39
B	BCIP-INT		100 mL *2	interchim	revelation enz	substrat		Ch. Froide		4°C	B
B	BCIP-NBT solution		100 mL	interchim	revelation enz	substrat		Ch. Froide		4°C	B
B	benalaxyl pestanal		250 mg	sigma				Ch. Froide		4°C	B
B	benomyl		???	????		AB-AF		Ch. Froide		4°C	B
Tox	benzalkonium chloride		25g	sigma		toxique		reserve chim		RT	52-2
B	Benzamidine hydrochloride		5g	Sigma		substrat		Ch. Froide		4°C	B
B	benzohydroxamic acid		5g	aldrich				Ch. Froide		4°C	B
AA	beta-alanine		500g	sigma		acide amine		reserve chim		RT	17
AA	beta-alanine		100g+100g+	sigma		acide amine		reserve chim		RT	17
B	beta-galactosidase		0,5 mg/mL	sigma		enzyme		Manip champi	C9	-20°C	B
Tox	beta-glycerophosphate		10g	sigma		toxique		reserve chim		RT	52-2
B	beta-nicotinamide adenine di-nucleotide redced form		100mg	sigma				Ch. Froide		4°C	B
K	bicarbonate de potassium		1kg	prolabo		potassium		reserve chim		RT	8'
Cr	bichromate de potassium		250g*2	prolabo		chrome		reserve chim		RT	2
Cr	bichromate de potassium		250g*2	cooperation		chrome		reserve chim		RT	2
B	biosilon		???	???	culture cell			Ch. Froide		4°C	B
B	biotin N-hydroxy-succinimide ester		100mg	sigma		couplage		Manip champi	C9	-20°C	B
B	biotin N-hydroxy-succinimide ester		aliquot			couplage		Manip champi	C9	-20°C	B
B	biotinamidocaproyl hydrazide		100 mg	sigma	couplage sucre	couplage		Manip champi	C9	-20°C	B
B	biotine		100mg	sigma				Ch. Froide		4°C	B
B	biphenyl		1g	sigma				Ch. Froide		4°C	B
col	bleu alcian		25g	biorad		col bleu		reserve chim		RT	23
col	bleu alcian		2g	????		col bleu		reserve chim		RT	23
bioch	bleu de bromophenol		10g	???	SDS-PAGE	colorant		placard biochimie		RT	
bioch	bleu de bromophenol		5g	pharmacia	SDS-PAGE	colorant		placard biochimie		RT	
col	bleu de bromophenol		10 g	sigma		col bleu		reserve chim		RT	23
col	bleu de bromophenol		25g	sigma		col bleu		reserve chim		RT	23

col	bleu de bromothymol		5g	merck		col bleu		reserve chim		RT	23
bioch	Bleu de coomassie (brillant G250)		20g	merck	dosage proteir	colorant		placard biochimie		RT	
bioch	bleu de coomassie (brillant R250)		50g +5g + 20	merck	SDS-PAGE	colorant		placard biochimie		RT	
bioch	bleu de coomassie (brillant R250)		10g	fluka	SDS-PAGE	colorant		placard biochimie		RT	
col	bleu de methyle		25 g	RAI		col bleu		reserve chim		RT	23
col	bleu de méthyle		50g *4	kuhlmann		col bleu		reserve chim		RT	23
PH	bleu de methylene		100g	merck		Indicateur pH		reserve chim		RT	32
PH	bleu de methylene		200g	scharlau		Indicateur pH		reserve chim		RT	32
PH	bleu de methylene		100g	merck		Indicateur pH		reserve chim		RT	32
col	bleu de méthylène		100 mL	fisher		col bleu		reserve chim		RT	23

col	bleu d'evans		5g	merck		col bleu		reserve chim		RT	23
col	bleu d'evans pur		100g	RAL		col bleu		reserve chim		RT	23
col	bleu d'evans solution 1%		5mL*2	bioméieux		col bleu		reserve chim		RT	23
col	bleu du nil A (sulfate)		25g	RAL		col bleu		reserve chim		RT	23
col	bleu du nil sulfate		5g	RAL		col bleu		reserve chim		RT	23
col	bleu trypan		25 g	EGA-chemie		col bleu		reserve chim		RT	23
col	bleu trypan		5g	sigma		col bleu		reserve chim		RT	23
cult	brain heart infusion		500g+500g	difco		culture		preparatoire		RT	
B	bromophenol blue sodium		5g	sigma	electrophores	colorant		Ch. Froide		4°C	B
K	bromure de potassium		250g	sigma		potassium		reserve chim		RT	8'
alcool	Butanol	CH ₃ (CH ₂) ₃ OH	1 L+1L	Carlo Erba	2	alcool		reserve N-1			
C	cacodylic acide sodium salt trihydrate		50 g	fluka				Ch. Froide		4°C	C
C	cacodylic acide sodium salt trihydrate		50 g	fluka				Frigo EΦ	FC2	4°C	C
Tox	caffeine anhydre		100g	sigma		toxique		reserve chim		RT	52-1
Ca	Calcium chloride	CaCl ₂ · 2H ₂ O	500 g	Prolabo	1	calcium		reserve N-1			
Ca	Calcium chloride		500 g	Sigma	1	calcium		reserve N-1			
Ca	Calcium chloride		1 kg	Prolabo	1	calcium		reserve N-1			
Ca	Calcium chloride anhydre	CaCl ₂	1 kg	Merck	1	calcium		reserve N-1			
C	calcium-D-pantothenate		???	fluka		calcium		Ch. Froide		4°C	C
col	carbol fushine		1g	sigma		col violet		reserve chim		RT	27
Ca	carbonate de calcium		1kg	fluka		calcium		reserve chim		RT	9
Li	carbonate de lithium		1kg	prolabo		lithium		reserve chim		RT	3
Mg	carbonate de magnesium basique		1kg*2	fluka		magnesium		reserve chim		RT	5
Na	carbonate-bicarbonate buffer (sodium ?)		50 cp	sigma		sodium		reserve chim		RT	15
C	carbonyl cyanide 3-chloro-phenylhydrazone		100mg	sigma				Manip champi	C9	-20°C	C
C	carbonyl cyanide m-chlorophenyl hydrazone		25 mg	sigma			pas ouvert	Ch. Froide		4°C	C
C	carbonyl cyanide p(trifluoromethoxy)phenylhydrazone		10mg + reco	sigma				Ch. Froide		4°C	C
C	carboxine		250 mg	ducheffa biochemie				Ch. Froide		4°C	C
C	carbox-modified (tube coating)		15 mL	seradyn				Ch. Froide		4°C	C
	carboxymethylcellulose sodium salt		500g	sigma		cellulose		reserve chim		RT	1
col	carmin d'indigo		10g µ5g	RAL		col bleu		reserve chim		RT	23
AB-AF	carpropamid		100mg	fluka		AB-AF		reserve chim		RT	34

C	carpropamid pestanal		100mg	riedel-de haen	AB-AF		Ch. Froide		4°C	C
prot	caseine		500g	sigma	proteine		reserve chim		RT	17
prot	caseine hydrolysat		500g	fluka	proteine		reserve chim		RT	17
C	catalase		30 mg	boehringer	enzyme		Ch. Froide		4°C	C
C	catalase form bovine liver		1g	sigma	enzyme		Manip champi	C9	-20°C	C
C	catalase from Aspergillus niger		1ml	biochemika	enzyme		Ch. Froide		4°C	C
C	catechol		100g	sigma			Ch. Froide		4°C	C
C	cathepsine G		0,005mg *2	sigma	enzyme	pas ouvert	Manip champi	C9	-20°C	C
C	ceftazidime hydrate		1g	sigma	AB-AF		Ch. Froide		4°C	C
	cellulose acetate		500g	sigma	cellulose		reserve chim		RT	1
	cellulose acetate butyrate		250g	aldrich	cellulose		reserve chim		RT	1
	cellulose fibrous medium		100g	sigma	cellulose		reserve chim		RT	1
	cellulose microgranular		100g	sigma	cellulose		reserve chim		RT	1
C	cephalothin		1g+1g	sigma			Ch. Froide		4°C	C
Ce	cesium chloride		1kg	ultrapure	cesium		reserve chim		RT	3
C	CHAPS		5g	sigma	2D	detergent	Ch. Froide		4°C	C
C	CHAPS		reliquat	USB	2D	detergent	Ch. Froide		4°C	C
	Chaux sodée	Ca(OH) ₂	1 kg	Prolabo	1		reserve N-1			
	Chaux sodée		1 kg	Sans marque	1		reserve N-1			
C	Chitinase		5U	sigma	enzyme		Manip champi	C9	-20°C	C
C	chitinase from streptomyces griseus		25U	sigma			Manip champi	C9	-20°C	C
C	Chlorimuron ethyl 95%		1g	alfaesar		Achat 2016	Ch. Froide		4°C	C
chim	chloroforme		1L	VWR	chimique		reserve chim		RT	49
NH4	chlorure d'ammonium		10g	???	ammonium		reserve chim		RT	4
Ba	chlorure de barium		250g	prolabo	barium		reserve chim		RT	3
Ba	chlorure de barium		250g	prolabo	barium		reserve chim		RT	3
Ca	chlorure de calcium		1kg	merck	calcium		reserve chim		RT	9
Ca	chlorure de calcium anhydre		250g	prolabo	calcium		reserve chim		RT	9
Ca	chlorure de calcium-dihydrate		1kg	merck	calcium		reserve chim		RT	9
Ca	chlorure de calcium-dihydrate		1kg	prolabo	calcium		reserve chim		RT	9
Co	chlorure de cobalt		250g	prolabo	cobalt		reserve chim		RT	3
Fe	chlorure de fer (III)		500g	prolabo	fer		reserve chim		RT	3
Fe	Chlorure de fer anhydre		250g	fluka	fer		reserve N-1			
Li	chlorure de lithium		500g	prolabo	lithium		reserve chim		RT	3

Mg	chlorure de magnesium anhydre		1kg	fluka		magnesium		reserve chim		RT	5
Mg	chlorure de magnesium anhydre		50g	sigma		magnesium		reserve chim		RT	5
Mg	chlorure de magnesium hexahydrate		1kg	merck		magnesium		reserve chim		RT	5
Mg	chlorure de magnesium hexahydrate		50g	prolabo		magnesium		reserve chim		RT	5
Mg	chlorure de magnesium hexahydrate		250g*2	merck		magnesium		reserve chim		RT	5
Mn	chlorure de manganese (II)		100g*3	merck		manganese		reserve chim		RT	3
Hg	chlorure de mercure		250g	merck		toxique		reserve chim		RT	52-1
Ni	chlorure de nickel		100g	sigma		nickel		reserve chim		RT	3
Ni	chlorure de nickel		50g	prolabo		toxique		reserve chim		RT	52-1
K	chlorure de potassium		1kg	merck		potasium		reserve chim		RT	8
K	chlorure de potassium		1kg	comptoir		potasium		reserve chim		RT	8
K	chlorure de potassium		500g	fisher		potasium		reserve chim		RT	8
Zn	chlorure de zinc		500g	sigma		zinc		reserve chim		RT	3
C	chondroïtine sulfate type A		1g+1g +5g	sigma		proteine		Ch. Froide		4°C	C
C	chondroïtine sulfate type B		5 mg +25 mg	sigma		proteine		Ch. Froide		4°C	C
Cr	chromate de potassium		250g*2	prolabo		chrome		reserve chim		RT	2
Cr	chrome (VI) oxyde		250g	prolabo		chrome		reserve chim		RT	2
Cr	chrome (VI) oxyde		250g	normapur		chrome		reserve chim		RT	2
Cr	chrome (VI) oxyde		250g	merck		chrome		reserve chim		RT	2
AB-AF	ciclopiroxolamine		1g	ICN		AB-AF		reserve chim		RT	34
C	ciprofloxacine		5g	acros		AB-AF		Ch. Froide		4°C	C
Fe	citrate de fer ammoniacal		100g	???		fer		reserve chim		RT	3
Fe	citrate de fer ammoniacal		100g	prolabo		fer		reserve chim		RT	3
AB-AF	clotrimazole		5g	sigma		AB-AF		reserve chim		RT	34
Co	cobalt nitrate		250g	serlabo		cobalt		reserve chim		RT	3
C	collagen from bovine achilles tendon,type I		1g	sigma		proteine		Ch. Froide		4°C	C
C	collagen type IV from human cell culture		1mL	sigma		proteine		Manip champi	C9	-20°C	C
C	collagen type X		5 + 10 mg	sigma		proteine		Manip champi	C9	-20°C	C
C	collagene humain		5mL	sigma		proteine		Ch. Froide		4°C	C
C	collagene type 1 (de rat)		5mg	sigma		proteine	pas ouvert	Ch. Froide		4°C	C
C	colostin sulfate		1g	sigma				Ch. Froide		4°C	C
C	conalbumine		10mg	serva		proteine		Ch. Froide		4°C	C
C	concanavoline A		0,5 g	pharmacia		lectine		Ch. Froide		4°C	C
C	concanavoline A		100 mg	sigma		lectine		Manip champi	C9	-20°C	C

C	concanavoline A couplée à l'or colloidal		5mL	Eylaboratoire	microscopie el	lectine		Ch. Froide		4°C	C
C	cooblu instant stain		500 mL	interchim		colorant		Ch. Froide		4°C	C
cult	corn meal agar		500g+500g	difco		culture		preparatoire		RT	
Tox	cortisone acetate		10g	sigma		toxique		reserve chim		RT	52-2
prot	creatine anhydre		50g	sigma		proteine		reserve chim		RT	17
prot	creatinine		1g	merck		proteine		reserve chim		RT	30
	CTAB (hexadecyldimethylammonium brom	CH ₃ (CH ₂) ₁₅ N(Br)	250 g+100g	Sigma	1			reserve N-1			
C	cumene hydroperoxide		5g	aldrich				Ch. Froide		4°C	C
C	cyanamide		100 g	sigma				Ch. Froide		4°C	C
K	cyanure de potassium		100g	merck		toxique		reserve chim		RT	52-1
C	cycloheximide		1g+1g	sigma		AB-AF		Ch. Froide		4°C	C
C	cycloheximide		5g	fluka		AB-AF		Ch. Froide		4°C	C
C	cycloheximide		5g	interchim		AB-AF		Ch. Froide		4°C	C
C	cytochalasine ??		???	sigma				Manip champi	C9	-20°C	C
C	cytochalasine B		1mg	sigma				Manip champi	C9	-20°C	C
C	cytohelicase (form helix pomatia)		2,2g	IBF				Manip champi	C9	-20°C	C
AA	cytosine		1g	sigma		acide amine		reserve chim		RT	17
sucre	D (-)-fructose		100g	merck		sucre		reserve chim		RT	11
sucre	D (+)-cellobiose		25g*2	sigma		sucre		reserve chim		RT	10
sucre	D (+)-galactose		10g	sigma		sucre		reserve chim		RT	11
sucre	D (+)-galactose		100g	merck		sucre		reserve chim		RT	11
sucre	D (+)-melezitose		5g*3	sigma		sucre		reserve chim		RT	10
sucre	D (+)-raffinose		100g	sigma		sucre		reserve chim		RT	11
sucre	D (+)-sorbitol		1kg	alfa aesar		sucre		reserve chim		RT	10
sucre	D (+)-trehalose		10g	prolabo		sucre		reserve chim		RT	10
sucre	D (+)-xylose		250g	prolabo		sucre		reserve chim		RT	11
D	D(+) fucose		500 mg	sigma		sucre		Manip champi	C9	-20°C	D
D	D(+) glucosamine		25g	sigma		sucre		Ch. Froide		4°C	D
D	D(+)-2-phosphoglyceric acid		250 mg *3	sigma		sucre		Manip champi	C9	-20°C	D
	D(+)-biotine (vitamine H)		1g	merck		vitamine		reserve chim		RT	53
D	D(+)-galactosamine		500 mg	sigma		sucre		Ch. Froide		4°C	D
D	D(+)-galactosamine		1g	sigma		sucre		Ch. Froide		4°C	D
D	D(+)-galactose		10g	sigma		sucre		Ch. Froide		4°C	D
D	DAB (diaminobenzidine)		tablets	uptima	revelation enz	substrat		Ch. Froide		4°C	D

D	D-biotin		100mg	sigma		vitamine		Ch. Froide		4°C	D
	Decon 90		5 L+5L+5L+5	Sans marque	5			reserve N-1			
D	deferoxamine mesylate		1g ??	sigma				Manip champi	C9	-20°C	D
D	deferoxamine mesylate		1g	sigma				Manip champi	C9	-20°C	D
D	deoxyribonuclease I		10mg *2	sigma				Manip champi	C9	-20°C	D
D	deoxyribonucleic acid		5g	sigma				Ch. Froide		4°C	D
dex	dextran (leuconostoc mesenteroides)		100g + 100G	Fisher		dextran		reserve chim		RT	19
dex	dextran (leuconostoc mesenteroides)		10g+10g +10	sigma		dextran		reserve chim		RT	19
dex	dextran sulfate		1g	sigma		dextran		reserve chim		RT	19
dex	dextran sulfate		50g	sigma		dextran		reserve chim		RT	19
dex	dextran sulfate (bio mol)		100g	sigma		dextran	pas ouvert	reserve chim		RT	19
dex	dextran sulfate (bio mol)		50g	sigma		dextran	pas ouvert	reserve chim		RT	19
dex	dextran T500		100g	amersham		dextran		reserve chim		RT	19
D	D-fructose-1,6-diphosphate		1g	sigma		sucre		Ch. Froide		4°C	D
sucre	D-galactosamine hydrochloride		1g	aldrich		sucre		reserve chim		RT	10
sucre	D-galactose		10g	prolabo		sucre		reserve chim		RT	11
sucre	D-galactose		50g	merck		sucre		reserve chim		RT	11
D	D-galactose-6-phosphate		50 Mg	sigma		sucre		Ch. Froide		4°C	D
acide	D-gluconic acide lactone		100g	sigma		acide poudre		reserve chim		RT	35
D	D-glucose-6-phosphate		1g	sigma		sucre		Ch. Froide		4°C	D
D	D-glucose-6-phosphate		1g*3	sigma		sucre	pas ouvert	Manip champi	C9	-20°C	D
D	D-gluvuronic acid		5g	sigma				Ch. Froide		4°C	D
D	diamide		1g	sigma				congelé cindy		-20°C	
NH4	di-ammonium hydrogeno phosphate		500g	riedel-de haen		ammonium		reserve chim		RT	4
	Di-butyl phthalate	C ₆ H ₄ -1,2-[CO ₂ (C	500 ml	BDH	1			reserve N-1			
chim	dibutylphtalate		1L	merck		chimique		reserve chim		RT	49
cult	Dichloran rose bengal agar		500g	fluka				preparatoire		RT	
K	dichromate de potassium		500g	merck		chrome		reserve chim		RT	2
K	dichromate de potassium		1kg*2	acros		chrome		reserve chim		RT	2
K	dichromate de potassium		1kg	prolabo		chrome		reserve chim		RT	2
chim	diethanolamine		1kg	sigma		chimique		reserve chim		RT	48
chim	diethyl ether		1L	scharlau		chimique		reserve chim		RT	47
D	diethyl pyrocarbonate		25g	acros				Ch. Froide		4°C	D
D	diethyl pyrocarbonate		50 mL	sigma				Frigo EΦ	FC2	4°C	D

chim	diethylamine		500ml	prolabo		chimique		reserve chim		RT	45
------	--------------	--	-------	---------	--	----------	--	--------------	--	----	----

	diethylenetriamine nitric oxide adduct		50 mg *2	sigma				congelos cindy		-20°C	
	diethylenetriamine nitric oxide adduct		50 mg	sigma				congelos cindy		-20°C	
uree	diethylmalonyluree sodée		500g	prolabo		uree		reserve chim		RT	9
D	dihydronecotinamideadenin-dinucleotide (NADH2)		1g*2	merck				Ch. Froide		4°C	D
chim	dimethyl sulfoxide		1L	fisher		chimique		reserve chim		RT	40
D	dimethyldichlorosilane		500 mL	LKB				Ch. Froide		4°C	D
K	di-potassium hydrogenophosphate		250g	prolabo		potassium		reserve chim		RT	7
K	di-potassium hydrogenophosphate		500g*3	prolabo		potassium		reserve chim		RT	8
K	di-potassium hydrogenophosphate anhydrous		1kg	merck		potassium		reserve chim		RT	8
K	di-potassium hydrogenophosphate anhydrous		250g	labosi		potassium		reserve chim		RT	8
K	di-potassium hydrogenophosphate anhydrous		250g	labosi		potassium		reserve chim		RT	8
K	di-potassium hydrogenophosphate anhydrous		500g	merck		potassium		reserve chim		RT	8
K	di-potassium hydrogenophosphate anhydrous		1kg	merck		potassium		reserve chim		RT	8
K	Di-potassium hydrogenophosphate trihydrate	$K_2HPO_4 \cdot 3H_2O$	250 g	Merck	1	potassium		reserve N-1			
K	Di-potassium hydrogenophosphate trihydrate		1 kg	Merck	1	potassium		reserve N-1			
D	dipyridyl-2-disulfide		5g	merck				Ch. Froide		4°C	D
Na	di-sodium hydrogen orthophosphate dihydrate		500g	merck		sodium		reserve chim		RT	16
Na	di-sodium hydrogen orthophosphate dodecahydrate		1kg	fisher		sodium		reserve chim		RT	16
Na	di-sodium hydrogen orthophosphate anhydrous		1kg	fisher		sodium		reserve chim		RT	16
Na	di-sodium hydrogenophosphate dihydrate	$Na_2HPO_4 \cdot 2(H_2O)$	1 kg	Prolabo	1	sodium		reserve N-1			
Na	di-sodium hydrogenophosphate dihydrate		500 g +1Kg+	Merck	1	sodium		reserve N-1			
Na	di-sodium hydrogenophosphate dihydrate		1 kg	Fisher	1	sodium		reserve N-1			
Na	di-sodium hydrogenophosphate dodecahydrate	$Na_2HPO_4 \cdot 12 H_2O$	1 kg+1Kg+1Kg	VWR	3	sodium		reserve N-1			
Na	di-sodium hydrogenophosphate dodecahydrate		1 kg+1Kg	Fisher	3	sodium		reserve N-1			
Na	di-sodium hydrogenophosphate dodecahydrate		1 kg	Prolabo	1	sodium		reserve N-1			
Na	disodium tetraborate 10hydrate		1kg	Merck		sodium		reserve N-1			
D	dithioerythritol		1g	sigma		reducteur		Ch. Froide		4°C	D
AA	DL-acetylmethionine		1kg	merck		acide amine		reserve chim		RT	17
AA	DL-acide malique		250g	merck		acide amine		reserve chim		RT	17
D	D-lactic dehydrogenase		5000U	sigma		enzyme		Ch. Froide		4°C	D
D	D-lacturonic acid monohydrate		5g	sigma				Ch. Froide		4°C	D
D	DL-alpha-tocopherolacetate		50g	merck				Ch. Froide		4°C	D
D	DL-dithiothreitol		25g	fluka	2D	reducteur		Ch. Froide		4°C	D
AA	DL-methionine		250 g	merck		acide amine		reserve chim		RT	17

sucre	D-mannitol		1kg	acros		sucre		reserve chim		RT	11
D	D-mannose-6-phosphate		100mg	sigma		sucre		Ch. Froide		4°C	D
D	D-methionine										D
chim	DMSO (dimethyl sulfoxide) ampoule		5mL*8	sigma	culture cell	chimique	pas ouvert	cult cell		RT	
chim	DMSO (dimethyl sulfoxide) aliquot		aliquot			chimique		Frigo EΦ	FC2	4°C	
cult	DRBC agar		500g	BD		culture		preparatoire		RT	
chim	dry strip cover fluid		1L	amersham	2D	chimique		placard biochimie		RT	
sucre	D-sorbitol		100g	merck		sucre		reserve chim		RT	11
cult	dubois broth base		500g+500g	difco		culture		preparatoire		RT	
sucre	dulcitol		25 g	sigma		sucre		reserve chim		RT	10
E	easy-blue (Total RNA extraction kit)		100 mL	intron		kit		Ch. Froide		4°C	E
E	eau oxygenee 110 volumes		aliquots		revelation enzyme			Frigo EΦ	FC2	4°C	
AB-AF	econazole		5g	sigma		AB-AF		reserve chim		RT	34
AB-AF	econazole		5g	sigma		AB-AF		reserve chim		RT	34
E	elastine from bobine neck ligament		5g	sigma		proteine		Ch. Froide		4°C	E
E	elastine-congo-red		1g	sigma				Ch. Froide		4°C	E
E	endoglycosidase H		0,2U/mL	ICN		enzyme		Manip champi	C9	-20°C	E
chim	Enhance NEF 981G		1 L +1L	Dupont	2	chimique		reserve N-1			
E	enolase		2500 U	sigma		enzyme		Manip champi	C9	-20°C	E
micro	entellan		50g	merck		microscopie		reserve chim		RT	39
col	eosine extra cristallisee		25g	RAL		col rouge		reserve chim		RT	21
col	eosine extra cristallisée		25g	RAL		col rose		reserve chim		RT	29
col	eosine Y		25g+5g+25g	sigma		col rouge		reserve chim		RT	21
E	ergostérol		5g	sigma				Ch. Froide		4°C	E
AB-AF	erythromycine		5g	sigma		AB-AF		reserve chim		RT	34
col	erythrosone		25g	RAL		col rouge		reserve chim		RT	21
sucre	esculin		5g	sigma		sucre		reserve chim		RT	10
E	estapor (latex caibré)		30 mL	prolabo		latex		Ch. Froide		4°C	E
chim	Ethanol absolu		5 L+5L	Fisher	2	chimique		reserve N-1			
chim	ethanolamine		500mL	merck		chimique		reserve chim		RT	48
chim	Ether	(CH ₃ CH ₂) ₂ O	2,5 L	Fisher	1	chimique		reserve N-1			
chim	ethyle acetate		50 mL	riedel dehaen		chimique		reserve chim		RT	47
chelateur	ethylene bis (oxyethylenenitrilo)-tetraacetic acid (EGTA)		25g	janssen		chelateur		reserve chim		RT	13
chelateur	ethylene glycol-bis (2-aminoethyl ether)-N,N, N', N',N'-tetr		100g	sigma		chelateur		reserve chim		RT	13

chelateur	ethylene glycol-bis (beta-aminoethyl ether)-N,N, N', N',N'-t	10g*2	sigma		chelateur		reserve chim		RT	13
micro	eukitt	100mL*2	kindler		microscopie		reserve chim		RT	39
E	extracti-gel Detergent removing gel	10 mL	pierce		kit		Ch. Froide		4°C	E
cult	Extrait de viande sec	500 g	Merck	1	culture		reserve N-1			
F	fast violet B salt	1g	sigma				Manip champi	C9	-20°C	F
col	fastgreen (vert)	25g+25g+10	schmid		col vert		reserve chim		RT	22
F	fenarimol pestanal	250 mg	sigma				Ch. Froide		4°C	F
AB-AF	fenbendazole	5g	sigma		AB-AF		reserve chim		RT	34
F	fenoxanil pestanal	100mg	riedel-de haen				Ch. Froide		4°C	F
F	fenpropimorph pestanal	250 mg	sigma				Ch. Froide		4°C	F
F	ferritine cationisée	2mL	sigma		proteine		Ch. Froide		4°C	F
F	ferritine type I from horse spleen	25mg *2	sigma		proteine		Ch. Froide		4°C	F
F	fetuin	100 mg	sigma				Ch. Froide		4°C	F
prot	fibrine from bovine blood	25g	sigma		proteine		reserve chim		RT	30
F	fibrinogen	1g *3	sigma		proteine		Ch. Froide		4°C	F
F	fibrinogen	1g *4	kabi		proteine		Ch. Froide		4°C	F
F	fibrinogen dog	100 mg	sigma		proteine		Manip champi	C9	-20°C	F
F	fibrinogen from goat	100 mg	sigma		proteine		Manip champi	C9	-20°C	F
F	fibrinogen cat	25 mg	sigma		proteine		Manip champi	C9	-20°C	F
F	fibrinogen fraction I from horse plasma	100mg	sigma		proteine		Manip champi	C9	-20°C	F
F	fibrinogen fraction I from human plasma	1g	sigma		proteine		Manip champi	C9	-20°C	F
F	fibrinogen fraction I from mouse plasma	5 mg	sigma		proteine		Manip champi	C9	-20°C	F
F	fibrinogen fraction I from pig plasma	1g	sigma		proteine		Manip champi	C9	-20°C	F
F	fibrinogen fraction I from rabbit plasma	25 mg	sigma		proteine		Manip champi	C9	-20°C	F
F	fibrinogen fraction I from sheep plasma	1g	sigma		proteine		Manip champi	C9	-20°C	F
F	fibrinogen fraction I type I , from human plasma	100 mg	sigma		proteine		Manip champi	C9	-20°C	F
F	fibrinogene fragment D purifié	???	stago		proteine		Ch. Froide		4°C	F
F	fibrinogène purifié	???	stago		proteine		Ch. Froide		4°C	F
F	fibrinogene test-kit	kit	OTXG		kit		Ch. Froide		4°C	F
F	fibrinogene type IS	1g	sigma		proteine		Manip champi	C9	-20°C	F
F	fibronectine humaine	???	sigma		proteine		Ch. Froide		4°C	F
	FICOLL	25g	sigma		prépa cellules		reserve chim		RT	33
	Ficoll	25g	sigma		prépa cellules					
F	fludioxonil	100 mg	sigma				Ch. Froide		4°C	F

F	fluoresceine isothiocyanate		(100 mg *5)	sigma		FITC		Ch. Froide		4°C	F
col	fluorescent brightener 28		1g	sigma		col bleu		reserve chim		RT	23
F	fluorocytosine (5) -5FC		250 mg	fluka	antifongique	AB-AF		Ch. Froide		4°C	F
Na	fluorure de sodium		1kg	prolabo		sodium		reserve chim		RT	16
Na	fluorure de sodium		100g	???		toxique		reserve chim		RT	52-1
AB-AF	fluphenazine dihydrochloride		1g	sigma		AB-AF		reserve chim		RT	34
chim	Formaldéhyde	HCHO	50 ml	Merck	1	chimique		reserve N-1			
chim	Formaldéhyde		1 L	Prolabo	1	chimique		reserve N-1			
chim	formaldehyde 37%		250 mL	acros		chimique		reserve chim		RT	41
chim	formaldehyde 37%		200mL	prolabo		chimique		reserve chim		RT	41
chim	formaldehyde 37%		500mL	fluka		chimique		reserve chim		RT	41
chim	formamide		250 mL	fluka		chimique		reserve chim		RT	40
chim	Formamide	HCONH ₂	250 ml	Sigma	1	chimique		reserve N-1			
chim	formol		1L	lainé		chimique		reserve chim		RT	41
chim	Formol (syn. formaldéhyde)	HCHO	5 L		1	chimique		reserve N-1			
chim	formol 4%		500 mL	???		chimique		reserve chim		RT	49
F	forskolin		10mg	sigma				Ch. Froide		4°C	F
F	fragment D (Fibrinogene ??)		????	stago		proteine		Ch. Froide		4°C	F
col	fushine acide		25g	RAL		col violet		reserve chim		RT	27
col	fushine basique		100g	RAL		col vert		reserve chim		RT	22
G	galactosidase beta		10 U	sigma		enzyme		Ch. Froide		4°C	G
	gel GEBAGEL 12%		kit	gene bio		kit		Frigo EΦ	FC2	4°C	
prot	Gélatine		500 g	Sigma	1	proteine		reserve N-1			
prot	gelatine from bovine skin type B		100g +100g	sigma		proteine		reserve chim		RT	30
prot	gelatine from porcine skin		100g	sigma		proteine		reserve chim		RT	30
cult	gélatine nutritive		500g	merck		culture		preparatoire		RT	
prot	gelatine poudre		500g	merck		proteine		reserve chim		RT	30
prot	gelatine type B from bovine skin		100g+100g	sigma		proteine		reserve chim		RT	30
G	gentamicine (solution injectable) 40mg/mL		ampoule *7	panpharma	culture cell	AB-AF		cult cell		RT	
col	giemsa		solution	RAL		col divers		reserve chim		RT	25
G	GlcNacbeta1-N-Asn (n-acetyl glucosamine -beta-1- asparag		2mg	biocarb		sucre		Ch. Froide		4°C	G
G	glucose -6-phosphoric acid barium salt		1g	merck		sucre		Ch. Froide		4°C	G
G	glucose oxidase		1000 U	sigma		enzyme		Ch. Froide		4°C	G
G	glufosinate ammonium		250 mg	alfaesar				Ch. Froide		4°C	G

G	glutaraldehyde		10 mL + 10 r	sigma		chimique	pas ouvert	Ch. Froide		4°C	G
chim	glutaraldehyde		100ml +1L	sigma		chimique		reserve chim		RT	41
G	glutaraldehyde (pour microscopie electronique)		5 mL	fluka		chimique		Ch. Froide		4°C	G
G	glutaraldehyde pour microscopie electronique		1mL * 10	sigma		chimique		Manip champi	C9	-20°C	G
G	glutathione		5g	sigma				Ch. Froide		4°C	G
	glycerine tamponnee		aliquot		IFI	kit		Frigo EΦ	FC2	4°C	
gly	glycerol bidistillée		500mL	VWR		glycerol		reserve chim		RT	42
gly	glycerol pour analyse		500 mL	acros	2D	glycerol		placard biochimie		RT	
AA	glycine		100g	????		acide amine		reserve chim		RT	17
AA	glycine (molecular biology)		1kg *6	biosolve		acide amine		reserve chim		RT	20
AA	glycocolle (glycine)		250g +50g	prolabo		acide amine		reserve chim		RT	17
G	glyphosate		250 mg	fluka				Ch. Froide		4°C	G
G	gold colloid (or colloidal)		25mL	sigma				Ch. Froide		4°C	G
G	griseofulvine		5g	ICN		AB-AF		Ch. Froide		4°C	G
G	guanidine		100g	sigma		toxique		Ch. Froide		4°C	G
Tox	guanidine thiocyanate solution (6M)		50ml	sigma		toxique		reserve chim		RT	52-2
H	H-7		5 mg	sigma				Ch. Froide		4°C	H
H	H-89 dihydrochloride hydrate		5 mg	sigma				Ch. Froide		4°C	H
col	haemalaun		25g	fluka		col divers		reserve chim		RT	25
cult	HAT (hypoxanthine-aminoptérine-thymidine) (ampoule 50 *3			sigma	culture cell			congelo cult cell		-20°C	
col	hematoxylin solution		50mL	merck		col divers		reserve chim		RT	53
col	hematoxyline		25g + 25g	biolyon		col divers		reserve chim		RT	25
Tox	hematoxyline solution		500ml	sigma		toxique		reserve chim		RT	52-2
H	hemine bovine		1g +1g	sigma		proteine		Ch. Froide		4°C	H
H	hemocyanin (KLH)		50 mg	sigma		proteine		Ch. Froide		4°C	H
H	hemoglobine bovine		25 g	sigma		proteine		Ch. Froide		4°C	H
	HEPES		100g	sigma							
Tox	hexachlorocyclohexane		5g	sigma		toxique		reserve chim		RT	52-1
chim	hexadecane		20mL	sigma		chimique		reserve chim		RT	53
Tox	hexadecyltrimethylammonium bromide		50g	fluka		toxique		reserve chim		RT	52-2
Tox	hexadecyltrimethyl-ammonium bromide (cetrimide)		100g	sigma		toxique		reserve chim		RT	52-2
Tox	hexamethylene-tetramine		500g	MERCK		toxique		reserve chim		RT	52-1
	Hexamethylethylènetetramine	[(CH ₃) ₂ NCH ₂ CH ₂	1 kg	Prolabo	1			reserve N-1			
micro	huile de cèdre		500 mL	polylabo		microscopie		reserve chim		RT	39

micro	huile de vaseline		500mL	prolabo		microscopie		reserve chim		RT	39
micro	huile minerale		500 ml	sigma		microscopie		reserve chim		RT	39
H	hyaluronique acid		100 mg	sigma				Manip champi	C9	-20°C	H
H	hydrogen fluoride pyridine		25g	aldrich				Manip champi	C9	-20°C	H
cult	hydrolysate acide de casein (casamino acids)		100g	difco		proteine		preparatoire		RT	
cult	hydrolysate acide de casein (casamino acids)		250g	Q-biogene		proteine		preparatoire		RT	
prot	hydrolysate de caseine acide vitamine free		500g	sigma		proteine		reserve chim		RT	30
Li	hydroxyde de lithium monohydrate		250g	merck		lithium		reserve chim		RT	3
K	hydroxyde de potassium		500g	fluka		potasium		reserve chim		RT	8
	hydroxylamine hydrochloride		100g	janssen				reserve chim		RT	53
Tox	hydroxylammonium chloride		250g	merck		toxique		reserve chim		RT	52-2
Tox	hydroxylammoniumchlorid		250g	Merck		toxique		reserve chim		RT	52-2
H	hydroxyuree		1g	sigma		uree		Ch. Froide		4°C	H
H	hygromycine B		50 mg	sigma		AB-AF	pas ouvert	Manip champi	C9	-20°C	H
cult	hypoxanthine		25g	sigma	culture cell			Frigo cult cell	F1	4°C	
cult	hypoxanthine		1g	sigma				reserve chim		RT	53
I	IgG humaine		10 mg	sigma				Ch. Froide		4°C	I
AB-AF	imidazole		100g	sigma		AB-AF		reserve chim		RT	34
I	Immobiline drystrip pH 3-10, 13 cm		20 strip	GE healthcare	2D	kit		Manip champi	C9	-20°C	I
PH	indigo		5g	???		Indicateur pH		reserve chim		RT	32
I	indubiose A37 (agarose)		25g + 25g +	IBF		agarose		Ch. Froide		4°C	I
sucre	inuline		25g	sigma		sucre		reserve chim		RT	10
I	iodate de potassium		100g	prolabo		iode		reserve chim		RT	36
I	iode bisublimé		100g	prolabo		iode		reserve chim		RT	36
I	iode bisublimé		100g	labosi		iode		reserve chim		RT	36
I	iode bisublimé		100g	rectapur		iode		reserve chim		RT	36
I	iodoacetamide		reliquat	fluka	2D	oxydant		Ch. Froide		4°C	I
I	iodoacetamide		25g	sigma	2D	oxydant		Ch. Froide		4°C	I
I	iodoacetique acide		25g	fluka				Ch. Froide		4°C	I
I	iodoactamide		reliquat	fluka	2D	oxydant		Ch. Froide		4°C	I
I	iodoactamide		2g	fluka	2D	oxydant		Ch. Froide		4°C	I
I	iodo-gen iodination reagent		1g	pierce	radiomarqage	kit		Ch. Froide		4°C	I
I	iodure de potassium		1kg	merck		iode		reserve chim		RT	36
I	iodure de potassium		500g *2	prolabo		iode		reserve chim		RT	36

I	iodure de sodium		250g	lainé		iode		reserve chim		RT	36
I	iodure de sodium		100g	merck		iode		reserve chim		RT	36
I	IPG buffer pH 3-10		*3	GE healthcare	2D	kit		Ch. Froide		4°C	I
I	IPG buffer pH 6-11		*1	GE healthcare	2D	kit		Ch. Froide		4°C	I
I	Iprodion (Prestanal)		100 mg	Fluka	1			reserve N-1			
I	iprodon pestanal		100 mg	sigma				Ch. Froide		4°C	I
I	iprodon pestanal		100mg	fluka				Ch. Froide		4°C	I
I	IPTG		1g *3	biosolve		substrat		Ch. Froide		4°C	I
I	iron (III) perchlorate hydrate chloride		100g+100g	aldrich		fer		Ch. Froide		4°C	I
I	iron (III)citrate hydrate		50g	aldrich		fer		Ch. Froide		4°C	I
alcool	iso-propanol (propanol 2)		2,5L +2,5 L	fischer		alcool		reserve chim		RT	46
I	isopropyl beta-D-1-thiogalactopyranoside		1g	sigma		sucre		Ch. Froide		4°C	I
col	jaune de metanile		25g	RAL		col jaune		reserve chim		RT	26
col	jaune naphтол		25g	RAL		col jaune		reserve chim		RT	26
col	keratin azure		5g	sigma		col bleu		reserve chim		RT	23
K	keratine		1mg	sigma		proteine		Ch. Froide		4°C	I
K	keratine		1mg	sigma		proetine		Manip champi	C9	-20°C	K
K	ketoconazole		10 mg + 100	sigma		AB-AF		Ch. Froide		4°C	K
K	ketoisocaproic acid		50 mg	sigma				Ch. Froide		4°C	K
K	kojic acid		5g	sigma				Ch. Froide		4°C	K
sucre	L (-)-fucose		1g	fluka		sucre		reserve chim		RT	10
sucre	L (+)-arabinose		25g	sigma		sucre		reserve chim		RT	10
sucre	L (+)-arabinose		25g*2	prolabo		sucre		reserve chim		RT	10
AA	L (+)-arginine		10g	touzard		acide amine		reserve chim		RT	17
sucre	L (+)-rhamnose		5g	merck		sucre		reserve chim		RT	10
acide	L(-)-acide malique		100g	sigma		acide poudre		reserve chim		RT	35
	L(-)-sorbose					sucre					
acide	L(+)-acide ascorbique (Vitamine C)		100g	merck		acide poudre		reserve chim		RT	35
AA	L-(+)-ornithine hydrochloride		25g	acros		acide amine		reserve chim		RT	17
acide	L-(+)-acide ascorbique		100g	merck		acide poudre		reserve chim		RT	35
acide	L-acide aspartique		50g	merck		acide poudre		reserve chim		RT	35
AA	L-acide glutamique		100g	sigma		acide amine		reserve chim		RT	17
prot	lactalbumine-hydrolysate		100g	merck		proteine		Ch. Froide		4°C	L
	lactoperoxydase		5mg + 5mg	sigma		enzyme		Manip champi	C9	-20°C	L

sucre	Lactose	C ₁₂ H ₂₂ O ₁₁	1 kg	Ugine	1	sucre		reserve N-1			
sucre	lactose monohydrate		500kg	merck		sucre		reserve chim		RT	11
sucre	lactose monohydrate		250g	UCB		sucre		reserve chim		RT	11
AA	L-alanine		25g	acros		acide amine		reserve chim		RT	17
	laminine from engelbreth-holm swann murine sarcoma		1mg	sigma		proteine		Manip champi	C9	-20°C	L
AA	L-asparagine		100g	gibco		acide amine		reserve chim		RT	17
AA	L-aspartique acide		100g	sigma		acide amine		reserve chim		RT	17
AA	L-cysteine		25 g	sigma		acide amine		reserve chim		RT	17
AA	L-cysteine		25 g	sigma		acide amine		reserve chim		RT	17
AA	L-cysteine		100g	prolabo		acide amine		reserve chim		RT	17
AA	L-cysteine chloride (monohydrate)		25g	merck		acide amine		reserve chim		RT	17
AA	L-cysteine hydrochloride monohydrate		25g	merck		acide amine		reserve chim		RT	17
AA	L-cysteine hydrochloride monohydrate		100g	sigma		acide amine		reserve chim		RT	17
cult	lecithine		500g+1kg	alfa aesar		culture		preparatoire		RT	
lec	lectin (peanut) linked sur agarose		1ml	sigma		lectine		Ch. Froide		4°C	L
lec	lectin(limulus)		0,5mg	sigma		lectine		Ch. Froide		4°C	L
	lectine from Phaseolus vulgaris (erythroagglutinin PHA-E)		2mg	sigma		lectine		Manip champi	C9	-20°C	L
lec	lectine (bandeirara simplifolia BS-I)		1 mg	sigma		lectine		Ch. Froide		4°C	L
lec	lectine (triticum vulgaris) (WGA)-couplé peroxydase		0,5 mg	sigma		lectine	pas ouvert	Ch. Froide		4°C	L
lec	lectine from triticum vulgaris (WGA)		2mg	sigma		lectine		Ch. Froide		4°C	L
	lectine from triticum vulgaris (WGA) TRITC labeled)		2mg	sigma		lectine	pas ouvert	Manip champi	C9	-20°C	L
L	leupeptin		5mg	boehringer				Ch. Froide		4°C	L
sucre	L-fucosylamine		100mg	sigma		sucre		Ch. Froide		4°C	L
AA	L-glutamic acid		50g	merck		acide amine		reserve chim		RT	17
AA	L-glutamine		25g	sigma	culture cell	acide amine		Frigo cult cell	F1	4°C	
AA	L-glutamine		25 g	sigma		acide amine		reserve chim		RT	17
AA	L-glutamine		100g	merck		acide amine		reserve chim		RT	17
AA	L-glutamine		25g	sigma		acide amine		reserve chim		RT	17
AA	L-glutamine		100g	merck		acide amine		reserve chim		RT	17
AA	L-glutamine 200					culture					
AA	L-glutamine 200mM		100ml + 50 r	sigma	culture cell	culture		congelato cult cell		-20°C	
AA	L-glutamine 200mM		100 mL	sigma		culture		Manip champi	C9	-20°C	L
AA	L-glutamique acide		500g	sigma		acide amine		reserve chim		RT	17
AA	L-histidine		100g	sigma		acide amine		reserve chim		RT	17

AA	L-histidine		100g	fluka		acide amine		reserve chim		RT	17
AA	L-isoleucine		10g	sigma		acide amine		reserve chim		RT	17
AA	L-leucine		25g	sigma		acide amine		reserve chim		RT	17
AA	L-leucine		25g	sigma		acide amine		reserve chim		RT	17
AA	L-leucine		25g	sigma		acide amine		reserve chim		RT	17
AA	L-lysine monohydrochloride		1kg	merck		acide amine		reserve chim		RT	17
AA	L-methionine		25g	sigma		acide amine		reserve chim		RT	17
AA	L-phenylalanine		5g	sigma		acide amine		reserve chim		RT	17
AA	L-proline		25g	sigma		acide amine		reserve chim		RT	17
AA	L-proline		25g	sigma		acide amine		reserve chim		RT	17
MET	LR White resin accelerator		10 mL	TAAB	microscopie el	MET		Ch. Froide		4°C	L
AA	L-serine		25g	acros		acide amine		reserve chim		RT	17
AA	L-threonine		25g	acros		acide amine		reserve chim		RT	17
AA	L-tryptophane		5g	sigma		acide amine		reserve chim		RT	17
AA	L-tryptophane		5g	sigma		acide amine		reserve chim		RT	17
AA	L-tyrosine		50g	prolabo		acide amine		reserve chim		RT	17
AA	L-tyrosine		100g	sigma		acide amine		reserve chim		RT	17
AB-AF	lufenuron		100mg	riedel de haen		AB-AF		reserve chim		RT	34
AA	L-valine		25g	sigma		acide amine		reserve chim		RT	17
enz	lysing enzymes from Rhizoctonia solani		1g	sigma		enzyme		Ch. Froide		4°C	L
enz	lysing enzymes from trichoderma harzianum		25 g	sigma		enzyme		Ch. Froide		4°C	L
	lysozyme		???	???		enzyme		Manip champi	C9	-20°C	L
	lyticase from arthrobacter luteus		25 000U	sigma		enzyme		Manip champi	C9	-20°C	L
	lyticase from arthrobacter luteus		250KU	sigma		enzyme		Manip champi	C9	-20°C	L
	lyticase from arthrobacter luteus		25 000U	sigma		enzyme		Manip champi	C9	-20°C	L
Mg	Magnesium chloride	MgCl ₂ · 6H ₂ O	1 kg	Prolabo	1	magnesium		reserve N-1			
cult	malt extract		500g	fluka		culture		preparatoire		RT	
cult	malt extract		500g+500g	BD		culture		preparatoire		RT	
sucre	maltose 1-hydrate		500g	PRS		sucre		reserve chim		RT	11
sucre	maltose monohydrate		100g	merck		sucre		reserve chim		RT	11
sucre	maltotriose		25g*2	sigma		sucre		reserve chim		RT	10
acide	m-aminophenylboronic acid		250mg	sigma		acide poudre		reserve chim		RT	35
	mancozeb		250 mg	sigma				Ch. Froide		4°C	M
sucre	mannan		250 mg	sigma		sucre		Ch. Froide		4°C	M

sucre	Mannitol	C ₆ H ₁₄ O ₆	1 kg	Fluka	1	sucre		reserve N-1			
sucre	Mannitol		250 g	Prolabo	1	sucre		reserve N-1			
	mannosidase alpha-D					enzyme					
	marqueur de masse moléculaire SDS-PAGE (Bas PM)		ampoule	GE healthcare		kit		Frigo EΦ	FC2	4°C	
cult	maximum recovery diluant		500g	BD				preparatoire		RT	
col	may-grunwald solution		solution	RAL		col divers		reserve chim		RT	25
cult	meat extract		500g	fluka		culture		preparatoire		RT	
AB-AF	mebendazole		25g	sigma		AB-AF		reserve chim		RT	34
prot	melanine		100 mg	sigma		proteine		Ch. Froide		4°C	M
cult	MEM (non essential amino acids)		100mL *2	gibco		culture		Ch. Froide		4°C	M
kit	membranes de dialyse		divers	divers		kit		Ch. Froide		4°C	M
Tox	menadione		10g	sigma		toxique		reserve chim		RT	52-1
Tox	menadione		25g	sigma		toxique		reserve chim		RT	52-2
Hg	mercure (II)chlorure		100g	prolabo		toxique		reserve chim		RT	52-1
Tox	mercurochrome		10g	sigma		toxique		reserve chim		RT	52-1
	MES		10g	sigma							
	MES low moisture content		50g	sigma							
sucre	meso-erythitol		100g	acros		sucre		reserve chim		RT	10
sucre	meso-inositol		100g	koch light		sucre		reserve chim		RT	10
alco	Méthanol	CH ₃ OH	1 L	Fisher	1	alcool		reserve N-1			
Tox	methocel MC		100g	fluka		toxique		reserve chim		RT	52-2
PH	methyl orange		10g	???		Indicateur pH		reserve chim		RT	32
	methyl-(5-[2-thienylcarbonyl]-1H-benzimidazol-2-yl)carba		10 mg + 50 r	sigma				Ch. Froide		4°C	M
sucre	methyl-alpha-D-glucopyranoside		500g + 100g	sigma		sucre		reserve chim		RT	10
sucre	methyl-alpha-D-mannopyranoside		25g*2	fluka		sucre		reserve chim		RT	10
	metronidazole		25 g	sigma		AB-AF		Ch. Froide		4°C	M
Tox	mixed alkyltri-methylammonium bromide		100g	sigma		toxique		reserve chim		RT	52-1
	molecular mass marqueur HMW			1 electran	SDS-PAGE	kit		congel EΦ	FC2	-20°C	
	molecular mass marqueur LMW			1 electran	SDS-PAGE	kit		congel EΦ	FC2	-20°C	
	molecular mass marqueur LMW			1 LKB	SDS-PAGE	kit		congel EΦ	FC2	-20°C	
	MOPS		100g	sigma		prépa cellules		reserve chim		RT	33
	MOPS hemisodium salt		100g	sigma							
	mucine		10g +100g	sigma				Ch. Froide		4°C	M
	mucine		100mg*2	sigma				Manip champi	C9	-20°C	M

	mycoplasma removal agent		5ml	MP	culture cell	culture		cult cell		RT	
	N alpha-para-tosyl-L-lysine chloro-methyl ketone		100 mg	sigma				Ch. Froide		4°C	N
	N,N,N',N'-tetramethylethylenediamine (TEMED)		100mL	merck	SDS-PAGE			Ch. Froide		4°C	N
	N,N,N',N'-tetramethylethylenediamine (TEMED) poudre		2g	sigma	SDS-PAGE			placard biochimie		RT	
	N,N,N',N'-tetramethylethylenediamine (TEMED) solution		50mL +10ml	Sigma	SDS-PAGE			placard biochimie		RT	
	N,N,N',N'-tetramethylethylenediamine (TEMED) solution		20mL	plusone	SDS-PAGE			placard biochimie		RT	
	N,N,N',N'-tetramethylethylenediamine (TEMED) solution		5 mL	biorad	SDS-PAGE			placard biochimie		RT	
sucre	N,N',N''-triacetylchitotriose		5mg + 1mg	sigma		sucre		Manip champi	C9	-20°C	N
sucre	N,N'-diacetyl chitobiose		5 mg+5 mg	sigma		sucre		Ch. Froide		4°C	N
chim	N,N-dimethyl formamide		500mL	sigma		chimique		reserve chim		RT	40
	N,N'-methylenediacrylamide		100g	Merck	SDS-PAGE			placard biochimie		RT	
	N,N'-methylenebisacrylamide		25g	BRL	SDS-PAGE			placard biochimie		RT	
sucre	N-acetyl-D-galactosamine		500 mg	sigma		sucre		Ch. Froide		4°C	N
sucre	N-acetyl-D-glucosamine		5g	sigma		sucre		Ch. Froide		4°C	N
sucre	N-acetyl-D-glucosamine		25g	sigma		sucre		Manip champi	C9	-20°C	N
sucre	N-acetyl-D-glucosamine		25g	sigma		sucre		Manip champi	C9	-20°C	N
sucre	N-acetyl-D-glucosamine		5g	sigma		sucre		Manip champi	C9	-20°C	N
sucre	N-acetyl-D-glucosamine		5g	sigma		sucre		Manip champi	C9	-20°C	N
sucre	N-acetyllactosamine		1mg	sigma		sucre		Manip champi	C9	-20°C	N
	N-acetylneuraminic acid type IV		25 mg+25mg	sigma				Manip champi	C9	-20°C	N
	naphtol AS-MX phosphate		500 mg	sigma			pas ouvert	Manip champi	C9	-20°C	N
	naphtol blue black		25g	sigma	SDS-PAGE			placard biochimie		RT	
cult	neopeptone		500g	difco		culture		preparatoire		RT	
	nessler reagent		100 mL	merck				Ch. Froide		4°C	N
	N-ethylmaleimide		5g + 5g	sigma				Ch. Froide		4°C	N
enz	neuraminidase		2,5 U	sigma		enzyme		Ch. Froide		4°C	N
enz	neuraminidase		1ml	ORKD		enzyme		Ch. Froide		4°C	N
enz	neuraminidase		2U	sigma		enzyme		Ch. Froide		4°C	N
enz	neuraminidase from clostridium perfringens		1U	sigma		enzyme		Ch. Froide		4°C	N
	N-hydroxysuccinimidobiotin		25mg	sigma		couplage		Manip champi	C9	-20°C	N
	nicardipine		1g +1g	sigma				Ch. Froide		4°C	N
	Nicotinamid-adenin-dinucleotide (NAD)		1g +1g	merck				Ch. Froide		4°C	N
	Nicotinamid-adenin-dinucleotide (NAD)		1g	merck				Manip champi	C9	-20°C	N
col	nigrosine hydrosoluble		50g	merck		col noir		reserve chim		RT	24

NH4	nitrate d'ammonium		250g	prolabo		ammonium		reserve chim		RT	4
	Nitrate d'argent		250g	prolabo	SDS-PAGE	colorant		placard biochimie		RT	
	nitrate d'argent		50g	prolabo	SDS-PAGE	colorant		placard biochimie		RT	
Tox	nitrate de plomb		50g	???		toxique		reserve chim		RT	52-2
K	nitrate de potassium		1kg	prolabo		potasium		reserve chim		RT	8
K	nitrate de potassium		1kg	merck		potassium		reserve chim		RT	8'
Na	nitrate de sodium		500g	merck		sodium		reserve chim		RT	16
subst	nitro blue tetrazolium		500 mg	sigma		substrat		Ch. Froide		4°C	N
subst	nitro blue tetrazolium (NBT)		25 + 10 tabl	sigma	revelation enz	substrat		Ch. Froide		4°C	N
subst	nitro blue tetrazolium tablettes		25 tablettes	Sigma		substrat		Ch. Froide		4°C	N
Tox	N-lauroylsarcosine		50g	sigma		toxique		reserve chim		RT	52-1
Tox	n-lauroylsarcosine		100g	sigma		toxique		reserve chim		RT	52-2
	N-lauryl sarcosine	CH ₃ (CH ₂) ₁₀ CON	100 g	Sigma	1			reserve N-1			
	N-methylphenazolum methyl sulfate		1g +1g	fluka				Ch. Froide		4°C	N
sucre	N-N'-N''-triacetyl-chitotriose		???	sigma		sucre		Ch. Froide		4°C	N
col	noir chlorazol E		25g + 25g +5	sigma		col noir		reserve chim		RT	24
col	noir soudan		5g	sebia		col noir		reserve chim		RT	24
col	noir soudan		10g	???		col noir		reserve chim		RT	24
col	noir soudan B		25g	merck		col noir		reserve chim		RT	24
deter	nonidet P40		500mL	LKB		detergent		reserve chim		RT	37-1
deter	nonidet P40		flacon	???		detergent		reserve chim		RT	37-1
deter	nonidet P40		100mL	sigma		detergent		reserve chim		RT	37-1
deter	Nonidet P40		1 L	Fluka	1	detergent		reserve N-1			
Tox	notroprussiate de sodium		25g	merck		toxique		reserve chim		RT	52-2
Uree	N-phenylthiouree, grade I		10g	sigma		uree		reserve chim		RT	6
	N-succinimidyl-3 (2-pyridyldithio)propionate (SPDP)		100mg	pharmacia				Ch. Froide		4°C	N
cult	OATmeal agar		250g+250g+	difco		culture		preparatoire		RT	
subst	OPD 10 mg		100 tablet	sigma	revelation enz	substrat		Ch. Froide		4°C	O
subst	OPD 2mg		100 tablets	dako	revelation enz	substrat		Ch. Froide		4°C	O
subst	OPD 30 mg		100 *3	sigma	revelation enz	substrat		Ch. Froide		4°C	O
col	orange G		25g	fluka		col orange		reserve chim		RT	28
col	orange IV		10g	RAL		col orange		reserve chim		RT	28
	orosomucoide (alpha 1 acid glycoproteine)		10 mg + 4 m	sigma				Ch. Froide		4°C	O
Tox	ortho-toluidine		10g	merck		toxique		reserve chim		RT	52-2

col	ortho-toluidine 6%		solution	sigma		col divers		reserve chim		RT	25
MET	osmium tetroxide solution		5mL	fluka	microscopie él	MET		Ch. Froide		4°C	O
	o-toluidine reagent	CH ₃ C ₆ H ₄ NH ₂	500 ml	Sigma	1			reserve N-1			
NH4	oxalate d'ammonium neutre		250g	prolabo		ammonium		reserve chim		RT	4
	oxibendazole		25 mg	sigma		AB-AF	pas ouvert	Ch. Froide		4°C	O
enz	papaine		10g	acros		enzyme		Ch. Froide		4°C	P
Tox	para-aminobenzoic acide		500g	koch light		toxique		reserve chim		RT	52-2
	para-aminophenyl (sur billes agarose)		5 mL	ierce	chromato		pas ouvert	Ch. Froide		4°C	P
sucre	para-amonophenyl alpha-D-mannopyranoside		50 mg + 50 r	sigma		sucre		Ch. Froide		4°C	P
sucre	para-arbutine		100g	koch light		sucre		reserve chim		RT	10
Tox	para-benzoquinone		25 g	sigma		toxique		Ch. Froide		4°C	P
Tox	para-benzoquinone		100g	merck		toxique		reserve chim		RT	52-1
Tox	para-chloromercuriphenyl-sulfonic acide		500 mg	sigma		toxique	pas ouvert	Ch. Froide		4°C	P
	para-dimethylamino benzaldehyde		25g	sigma				reserve chim		RT	53
chim	paraformaldehyde		500g	sigma		chimique		Ch. Froide		4°C	P
chim	paraformaldehyde		500g	sigma		chimique		reserve chim		RT	41
chim	Paraformaldéhyde	HCHO	500 g	Sigma	1	chimique		reserve N-1			
chim	paraformaldehyde		250g	TAAB		chimique		reserve chim		RT	41
subst	para-nitrophenyl phosphate disodium		1g	sigma	substrat phosph	substrat		Ch. Froide		4°C	P
	pefabloc SC (4-52-amino-ethyl)-benzolsulfonylfluorid hydr		100 mg	merck				Ch. Froide		4°C	P
cult	PEG (polyethylenglycol) 1500 (spécial fusion hybridome)		aliquot	????	culture cell			Frigo cult cell	F1	4°C	
PEG	PEG 1450	H(OCH ₂ CH ₂) _n OH	500 g	Sigma	1	PEG		reserve N-1			
PEG	PEG 20000	H(OCH ₂ CH ₂) _n OH	5 kg+5Kg	Touzar	2	PEG		reserve N-1			
PEG	PEG 8000	H(OCH ₂ CH ₂) _n OH	500 g	Sigma	1	PEG		reserve N-1			
AB-AF	penicilline G		1Mns U	sigma		AB-AF		reserve chim		RT	34
AB-AF	penicilline-streptomycine		20 mL	gibco		AB-AF		Manip champi	C9	-20°C	P
alc	Pentanol	CH ₃ (CH ₂) ₄ OH	250 ml	BDH	1	alcool		reserve N-1			
enz	pepsine		100mU/mg	merck		enzyme		Ch. Froide		4°C	P
enz	pepsine		1kg	merck		enzyme		reserve chim		RT	31
enz	pepsine DAB5		1kg+500g	merck		enzyme		reserve chim		RT	31
	pepstatine a		5 mg + 25 m	sigma				Ch. Froide		4°C	P
	periodic acid		100g	acros				Ch. Froide		4°C	P
enz	peroxidase		10 mg	IBF-LKB		enzyme		Ch. Froide		4°C	P
	peroxidase from horseradish		100U/mg	fluka		enzyme		Manip champi	C9	-20°C	P

	phastgel blue R 350 (coomassie)		50 tablets	healthcare	SDS-PAGE			placard biochimie	RT	
	phenazine methosulfate		1mg + 5mg	sigma				Manip champi C9	-20°C	P
solv	phenol		100g	prolabo		solvant		reserve chim	RT	44
solv	phenol		10g	???		solvant		reserve chim	RT	44
	Phénol (poudre)	C ₆ H ₅ OH	500 g	Prolabo	1			reserve N-1		
PH	phenolphthaleine		5g*2	???		Indicateur pH		reserve chim	RT	32
	phenyl benzoate		100g	fluka				reserve chim	RT	53
AB-AF	phenyl methyl sulfonyl fluoride		25g	sigma	inhibiteur protase			reserve chim	RT	34
	phenylglyoxal		5g	sigma			pas ouvert	Ch. Froide	4°C	P
	phenylmethanesulfonyl fluoride (PMSF)		5g	fluka	inhibiteur protease			Ch. Froide	4°C	P
subst	phosphatase substrat tablette		tablettes	sigma		substrat		Ch. Froide	4°C	P
NH4	phosphate d'ammoniaque		100g	billault		ammonium		reserve chim	RT	4
K	phosphate de potassium di potassique		250g	prolabo		potasium		reserve chim	RT	8
Na	phosphate de sodium		250g	sigma		sodium		reserve chim	RT	16
	phospholipase C, phosphatidylinositol specific		50 µL	molecular probes		enzyme		Manip champi C9	-20°C	P
	phospholipase C, phosphatidylinositol specific		100U/mL	invitrogen		enzyme		Manip champi C9	-20°C	P
PH	phthaleine de phenol		20g	kuhlmann		Indicateur pH		reserve chim	RT	32
	picrylsulfonic acid		100 mL	sigma				Ch. Froide	4°C	P
Tox	piperazine dihydrochloride		250g	sigma		toxique		reserve chim	RT	52-2
	PMSF (phenyl methyl sulfonyl fluoride) aliquot 200 mM en		aliquot					Frigo EΦ FC2	4°C	P
subst	PNPP solution		200 mL	interchim	révélation enz	substrat		Ch. Froide	4°C	P
	pNPP tablets		tablettes	sigma		substrat		Manip champi C9	-20°C	P
PEG	polyethylene glycol bioUltra 3350		500g	sigma		PEG		reserve chim	RT	38
PEG	polyethylene glycol 1000		500g	sigma		PEG		reserve chim	RT	38
PEG	polyethylene glycol 1450		500g	sigma		PEG		reserve chim	RT	38
PEG	polyethylene glycol 200		500g	sigma		PEG		reserve chim	RT	38
PEG	polyethylene glycol 20000		100g	touzart matignon		PEG		reserve chim	RT	38
PEG	polyethylene glycol 300		500g	sigma		PEG		reserve chim	RT	38
PEG	polyethylene glycol 35000		200g	merck		PEG		reserve chim	RT	38
PEG	polyethylene glycol 400		500g	sigma		PEG		reserve chim	RT	38
PEG	polyethylene glycol 4000		1kg	applichem		PEG		reserve chim	RT	38
PEG	polyethylene glycol 6000		500g	fisher		PEG		reserve chim	RT	38
PEG	polyethylene glycol 8000		250g	Sigma		PEG		reserve chim	RT	38
PEG	polyethylene glycol 8000		500g	sigma		PEG		reserve chim	RT	38

AA	poly-L-lysine solution		100mL	sigma		acide amine		reserve chim		RT	17
cult	polypeptone		500g	BD		culture		preparatoire		RT	
deter	polysorbate 80		100g	fluca		detergent		reserve chim		RT	37-1
	polyvinyl alcohol mounting medium with DABCO, antifadin		100 mL	fluka	microscopie			Ch. Froide		4°C	P
Tox	polyvinylpyrrolidone		500g	sigma		toxique		reserve chim		RT	52-1
Tox	polyvinylpyrrolidone		100g	BDH		toxique		reserve chim		RT	52-2
col	ponceau de xylid		25g	RAL		col rouge		reserve chim		RT	21
K	Potassium acetate	CH ₃ COOK	1 kg	Sigma	1	potassium		reserve N-1			
K	Potassium acetate		500 g	Sigma	1	potassium		reserve N-1			
K	Potassium alun	KAl(SO ₄) ₂ •12 H ₂ O	250 g	Prolabo	1	potassium		reserve N-1			
K	Potassium chloride	KCl	500 g	Sigma	1	potassium		reserve N-1			
K	Potassium chloride		500 g	Merck	1	potassium		reserve N-1			
K	Potassium chloride		1 kg	Merck	1	potassium		reserve N-1			
K	potassium dihydrogeno orthophosphate		1kg +500g	fisher		potasium		reserve chim		RT	7
K	potassium dihydrogeno phosphate		1kg+100g	prolabo		potasium		reserve chim		RT	7
K	potassium dihydrogeno phosphate		100g	prolabo		potasium		reserve chim		RT	7
K	potassium dihydrogenophosphate		1kg	merck		potasium		reserve chim		RT	8
K	Potassium di-hydrogenophosphate	KH ₂ PO ₄	1 kg+1Kg+1kg	Prolabo	2	potassium		reserve N-1			
K	Potassium di-hydrogenophosphate		1 kg+1Kg	Merck	2	potassium		reserve N-1			
K	potassium disulfate		500g	merck		potassium		reserve chim		RT	8'
K	potassium ferricyanure		250g	sigma		potasium		reserve chim		RT	8
K	potassium ferricyanure		100g	sigma		potasium		reserve chim		RT	8'
K	potassium hydrate (potasse)		1kg	RPE		potassium		reserve chim		RT	8'
K	potassium hydrogeno phtalate		250g	merck		potassium		reserve chim		RT	8'
K	Potassium iodide	KI	1 kg	Prolabo	1	potassium		reserve N-1			
K	potassium metabisulfite		1kg	prolabo		potassium		reserve chim		RT	8'
K	potassium permanganate		250g	fluka		potassium		reserve chim		RT	8'
K	Potassium permanganate	KMnO ₄	1 kg+1Kg	Prolabo	2	potassium		reserve N-1			
K	potassium phosphate monobasique		100g	sigma		potasium		reserve chim		RT	7
K	potassium-antimoine (III)oxytartrate		250g	merck		potassium		reserve chim		RT	8'
Tox	potassium-sodium tartrate		500g*2	prolabo		toxique		reserve chim		RT	52-2
cult	Potato dextrose agar		100 g	BD	1	culture		reserve N-1			
col	pourpre de bromocresol		5g	difco		col jaune		reserve chim		RT	26
col	pourpre de bromocresol		5g	merck		col violet		reserve chim		RT	27

	pronase E 250mg/mL		aliquot	???		enzyme		Manip champi	C9	-20°C	P
	propamocarb		250 mg	sigma				Ch. Froide		4°C	P
alcool	propanol-1		20 mL	merck		alcool		reserve chim		RT	46
alcool	propanol-2		10mL	VWR		alcool		reserve chim		RT	46
	propidium iodide		100 mg	invitrogen				Ch. Froide		4°C	P
	Propylène oxyde	C ₃ H ₆ O	1 L	Merck	1			reserve N-1			
chim	propylenoxid		1L	balzers		chimique		reserve chim		RT	45
	prostaglandine I2		1mg + 5mg	sigma				Manip champi	C9	-20°C	P
	protease (streptomyces griseus)		100mg + 100	sigma		enzyme		Manip champi	C9	-20°C	P
	protease (streptomyces griseus) type V		500 mg	sigma		enzyme		Manip champi	C9	-20°C	P
	protease inhibiteur (complete-EDTA-free)		60 tablettes	roche		inhibiteur protease		Ch. Froide		4°C	P
	protease linked to agarose beads		25 U + 10 U	sigma		enzyme		Manip champi	C9	-20°C	P
kit	protein assay (biorad)		200 mL	biorad	dosage prot	kit		Ch. Froide		4°C	P
enz	proteinase K		100 mg	merck		enzyme		Ch. Froide		4°C	P
enz	proteinase K		10 ml	qiagen		enzyme		Ch. Froide		4°C	P
	proteinase K (16mg/mL)		aliquot	???		enzyme		Manip champi	C9	-20°C	P
prot	proteine A		5 mg	sigma		proteine A		Ch. Froide		4°C	P
	proteine A couplée à l'or		1mL	sigma		proteine A		Manip champi	C9	-20°C	P
	proteine A couplée à l'or 10 nm		1 mL	sigma		proteine A		Manip champi	C9	-20°C	P
	proteine A couplée à l'or 20 nm		1 mL	sigma		proteine A		Manip champi	C9	-20°C	P
prot	proteine A-Gold		0,4 mL	sigma	microscopie el	proteine A		Ch. Froide		4°C	P
	protextrait lyraz PC 100		50g	lyraz				Ch. Froide		4°C	P
	protextrait lyraz PPA 97		50g	lyraz				Ch. Froide		4°C	P
	protextrait lyraz PS 100		50g	lyraz				Ch. Froide		4°C	P
	protextrait lyraz PTP 100		50g	lyraz				Ch. Froide		4°C	P
	protextrait lyraz PTP 55		50 mL	lyraz				Ch. Froide		4°C	P
	protogen AG immobilized human thrombine							Ch. Froide		4°C	P
	pyraclostrobin		100mg	sigma				Ch. Froide		4°C	P
	pyridincarbaldéhyd-(2)-oxim		25g	merck				Ch. Froide		4°C	P
	pyridoxahydrochloride		5g	merck				Ch. Froide		4°C	P
	pyridoxine hydrochloride		25g	alfaesar				Ch. Froide		4°C	P
AA	pyridoxine hydrochloride		25g	sigma		acide amine		reserve chim		RT	17
Tox	pyrocatechol		100g	sigma		toxique		reserve chim		RT	52-2
AB-AF	pyroquilone		250 mg	riedel-de haen		AB-AF		Ch. Froide		4°C	P

AB-AF	pyroquilone		250 mg	fluka		AB-AF		reserve chim		RT	34
enz	pyruvate kinase		10 000 + 1 0	sigma		enzyme		Ch. Froide		4°C	P
Tox	quinidine		5g	sigma		toxique		reserve chim		RT	52-1
Tox	quinine		5g	sigma		toxique		reserve chim		RT	52-1
Tox	quinoleinol-8		250g	prolabo		toxique		reserve chim		RT	52-1
sucre	raffinose pentahydrate		50g	prolabo		sucre		reserve chim		RT	11
kit	Rat IL-1 beta platinum ELISA		kit	ebioscience		kit		Ch. Froide		4°C	P
	RC DC protein assay reagent I		250 mL	biorad		kit		Frigo EΦ	FC2	4°C	
	RC DC protein assay reagent II		250 mL	biorad		kit		Frigo EΦ	FC2	4°C	
	RC DC protein assay reagent S		5 mL	biorad		kit		Frigo EΦ	FC2	4°C	
col	remazol brilliant blue R		25g	sigma		col bleu		reserve chim		RT	23
	renine substrat 1		1mg	sigma		substrat		Manip champi	C9	-20°C	R
	renine substrat 1		1 mg	sigma		substrat		Manip champi	C9	-20°C	R
col	reserpine		1g	sigma		col divers		reserve chim		RT	25
col	rhodamine		25g	kuhlmann		col divers		reserve chim		RT	25
col	rhodamine 6G		5g	sigma		col divers		reserve chim		RT	25
	riboflavine		10g	merck				reserve chim		RT	53
col	rose bengale sels de sodium		5g	sigma		col rose		reserve chim		RT	29
col	rotenone		1g	sigma		col divers		reserve chim		RT	25
col	rouge à l'huile O		25g	merck		col rouge		reserve chim		RT	21
col	rouge ciba		10g + 5g	sebia		col rouge		reserve chim		RT	21
col	rouge congo		25g	sigma		col rouge		reserve chim		RT	21
col	rouge congo		50g	RAL		col rouge		reserve chim		RT	21
PH	rouge de methyle		50g*3	RAL		Indicateur pH		reserve chim		RT	32
PH	rouge de methyle		20g	???		Indicateur pH		reserve chim		RT	32
PH	rouge de methyle		20g	???		Indicateur pH		reserve chim		RT	32
PH	rouge de phenol		50g	riedel de haen		Indicateur pH		reserve chim		RT	32
PH	rouge de phenol		50g	RAL		Indicateur pH		reserve chim		RT	32
PH	rouge de phenol		25g	RAL		Indicateur pH		reserve chim		RT	32
PH	rouge de phenol		5g	sigma		Indicateur pH	pas ouvert	reserve chim		RT	32
col	rouge de phenol 0,5%		solution	sigma		col rouge		reserve chim		RT	21
PH	rouge de phenol 0,2%		100mL	RPE		Indicateur pH		reserve chim		RT	32
col	rouge de ruthenium		1g	sigma		col rouge		reserve chim		RT	21
col	rouge de thiazine		10g	prolabo		col rouge		reserve chim		RT	21

PH	rouge neutre		5g	???		Indicateur pH		reserve chim		RT	32
col	rouge nucleaire		liquide	???		col rouge		reserve chim		RT	21
col	rouge ponceau S		25g	electran		col rouge		reserve chim		RT	21
col	rouge sirius		10g	labo moderne		col rouge		reserve chim		RT	21
col	rouge soudan III		25g	RAL		col rouge		reserve chim		RT	21
col	safranine		2g	RAL		col violet		reserve chim		RT	27
cult	sang defibriné de mouton		100 mL	biomerieux		culture		Ch. Froide		4°C	S
deter	saponine		100g	merck		detergent		reserve chim		RT	37-1
	sarcosine		25g	sigma				reserve chim		RT	53
	schiff's reagent Fuschin-sulfite reagent		500 mL	sigma				Ch. Froide		4°C	S
Na	sel de mer iodé et fluoré				1	sodium		reserve N-1			
cult	select agar (pour protoplaste)		500g	invitrogen		culture		preparatoire		RT	
	silice 60g pour chromato couche mince		500g	merck	CCM			Ch. Froide		4°C	S
	silver enhancing kit		15 mL *2	british biocell		microscopie électronique		Ch. Froide		4°C	S
Na	sodium acetate		250g*2	prolabo		sodium		reserve chim		RT	12
Na	sodium acetate anhydre		50g	merck		sodium		reserve chim		RT	12
Na	sodium acetate anhydre		1kg	Sigma		sodium		reserve N-1			
Na	sodium acetate trihydrate		500g	prolabo		sodium		reserve chim		RT	12
Na	Sodium acetate trihydrate	CH ₃ COONa · 3H ₂ O	1 kg+1Kg+1kg	Prolabo	3	sodium		reserve N-1			
Na	Sodium acetate trihydrate		1 kg+1Kg	Merck	2	sodium		reserve N-1			
Na	sodium azide		25g	sigma		toxique		reserve chim		RT	52-1
Na	sodium azoture (azide de sodium)		50g	prolabo		toxique		reserve chim		RT	52-1
Na	sodium bicarbonate		1kg	sigma		sodium		reserve chim		RT	15
Na	sodium bicarbonate		1kg *2	acro		sodium		reserve chim		RT	15
Na	sodium carbonate		1kg	prolabo		sodium		reserve chim		RT	15
Na	sodium carbonate 10 hydrate		1kg	merck		sodium		reserve chim		RT	15
Na	sodium carbonate anhydre		1kg	merck		sodium		reserve chim		RT	15
Na	sodium chloride		1kg	Fisher		sodium		reserve N-1			
Na	sodium chloride (NaCl)		1kg*3	fisher		sodium		reserve chim		RT	14
Na	sodium chloride (NaCl)		1kg	prolabo		sodium		reserve chim		RT	14
Na	sodium chloride (NaCl) (molecular biology)		1kg	biosolve		sodium		reserve chim		RT	14
Na	sodium cyanoborohydride		10g	sigma		sodium		Manip champi	C9	-20°C	S
Na	sodium dihydrogeno phosphate		1kg	merck		sodium		reserve chim		RT	16
Na	sodium disulfite		500g	merck		sodium		reserve chim		RT	16

Na	sodium dodecyl sulfate (SDS)		100g *2	BRL	SDS-PAGE	detergent		placard biochimie	RT	
Na	sodium dodecyl sulfate (SDS)		100g +10 g	acros	SDS-PAGE	detergent		placard biochimie	RT	
Na	sodium dodecyl sulfate (SDS)		500g	fisher		sodium		reserve chim	RT	16
Na	sodium dodecyl sulfate (SDS)		250g	sigma		sodium		reserve chim	RT	16
Na	sodium dodecyl sulfate (SDS) solution		500mL	fluka	SDS-PAGE	detergent		placard biochimie	RT	
Na	sodium hydrogeno phosphate dihydrate		1kg	merck		sodium		reserve chim	RT	16
Na	sodium hydrogenocarbonate		1kg	prolabo		sodium		reserve chim	RT	15
Na	sodium hydrogenocarbonate		1kg	servilab		sodium		reserve chim	RT	15
Na	sodium hydrogenocarbonate		100g	prolabo		sodium		reserve N-1		
Na	Sodium hydroxyde		1 kg	Fisher	1	sodium		reserve N-1		
Na	Sodium hydroxyde		1 kg+1Kg	Merck	2	sodium		reserve N-1		
Na	Sodium hydroxyde		1 kg	Prolabo	1	sodium		reserve N-1		
Na	sodium hydroxyde (soude)		100g	labosi		sodium		reserve chim	RT	14
Na	sodium hydroxyde (soude)		1kg*2	fisher		sodium		reserve chim	RT	14
Na	sodium hydroxyde 30 % (liquide)		1L	prolabo		sodium		reserve chim	RT	14
Na	sodium hydroxyde anhydre (soude)		1kg	carlo erba		sodium		reserve chim	RT	14
I	sodium iodide		200g	sigma		iode		reserve chim	RT	36
Na	sodium metabisulfate		500g	carlo erba		sodium		reserve chim	RT	12
Na	Sodium metabisulfite	Na ₂ S ₂ O ₅	1 kg	Prolabo	1	sodium		reserve N-1		
Na	sodium molybdate dihydrate		100g	sigma		sodium		reserve chim	RT	12
I	sodium m-periodate		25g	sigma		iode		reserve chim	RT	36
Na	Sodium phosphate	Na ₃ PO ₄	250 g	Sigma	1	sodium		reserve N-1		

Na	sodium pyrophosphate		250g	prolabo		sodium		reserve chim		RT	12
Tox	sodium selenite		25g	sigma		toxique		reserve chim		RT	52-2
Na	sodium selenite pentahydrate		25g	fluka		sodium		reserve chim		RT	12
Na	Sodium sulfate	Na ₂ SO ₄	250 g+250g	Prolabo	2	sodium		reserve N-1			
Na	Sodium sulfate		500 g	Prolabo	1	sodium		reserve N-1			
Na	sodium tertaborate		250g	prolabo		sodium		reserve chim		RT	12
Na	sodium tetraborate tetrahydrate		250g	prolabo		sodium		reserve chim		RT	16
Na	sodium tetraborate tetrahydrate		1kg	merck		sodium		reserve chim		RT	16
Na	Sodium thiosulfate	Na ₂ S ₂ O ₃	1 kg	Prolabo	1	sodium		reserve N-1			
	streptavidin 1mg/mL		1mg/mL	sigma		strepta		Manip champi	C9	-20°C	S
strep	streptavidin immobilisée sur agarose		1mL	sigma		strepta		Ch. Froide		4°C	S
strep	streptavidin -PE		??	BD		strepta		Ch. Froide		4°C	S
	streptavidine-biotine-HRPO			amersham		strepta		Frigo EΦ	FC2	4°C	S
	streptavidine-FITC			amersham		strepta		Frigo EΦ	FC2	4°C	S
	streptavidine-HRPO			caltag		strepta		Frigo EΦ	FC2	4°C	S
	streptavidin-PAL			caltag		strepta		Frigo EΦ	FC2	4°C	S
enz	streptolysine			biolyon		enzyme		Ch. Froide		4°C	S
AB-AF	streptomycin sulfate		50g	fischer		AB-AF		Ch. Froide		4°C	S
AB-AF	streptomycin sulfate		5g	sigma		AB-AF		Ch. Froide		4°C	S
sucre	sucrose (saccharose)		500g *4	conda		sucre		reserve chim		RT	10
AB-AF	sulfamethoxazole		10g	fluka		AB-AF		reserve chim		RT	34
AB-AF	sulfamethoxazole		10g	sigma		AB-AF		reserve chim		RT	34
Ca	sulfate de calcium		100g	prolabo		calcium		reserve chim		RT	9
Co	sulfate de cobalt-heptahydrate		100g	sigma		cobalt		reserve chim		RT	3
Cu	sulfate de cuivre (cuivrique)		250 g	prolabo		cuivre		reserve chim		RT	3
Cu	sulfate de cuivre (II)		250g	riedel de haen		cuivre		reserve chim		RT	3
Cu	sulfate de cuivre cristallise		500g	prolabo		cuivre		reserve chim		RT	3
Fe	sulfate de fer (II)-5-hydrate		250g	merck		fer		reserve chim		RT	3
Fe	sulfate de fer (III)		250g	sigma		fer		reserve chim		RT	3
Fe	sulfate de fer ferreux		100g	prolabo		fer		reserve chim		RT	3
Fe	sulfate de fer -heptahydrate		500g	merck		fer		reserve chim		RT	3
Mg	sulfate de magnesium anhydre		100g	fluka		magnesium		reserve chim		RT	5
Mg	sulfate de magnesium heptahydrate		2,5 kg	amresco		magnesium		reserve chim		RT	5
Mn	sulfate de manganese		250g	prolabo		manganese		reserve chim		RT	3

K	sulfate de potassium		1kg	merck		potassium		reserve chim		RT	8'
K	sulfate de potassium		1kg	prolabo		potassium		reserve chim		RT	8'
Na	sulfate de sodium anhydre		1kg	merck		sodium		reserve chim		RT	16
Tox	sulfate de titane		50g	prolabo		toxique		reserve chim		RT	52-1
Zn	sulfate de zinc-heptahydrate		500g	merck		zinc		reserve chim		RT	3
Tox	sulfate hydroxy-8-quinoleine		25g	prolabo		toxique		reserve chim		RT	52-1
	sulfo-NHS-biotine		50 mg *2	thermo scientific		couplage		Manip champi	C9	-20°C	S
	TCEP-HCl (Tris(2-carboxyethyl)-phosphine hydrochloride		1g+1g	pierce				Ch. Froide		4°C	T
	tebuconazol psetanal		250 mg	sigma				Ch. Froide		4°C	T
deter	teepol 6105		flacon	???		detergent		reserve chim		RT	37-1
	TEMED		20 mL	LKB	2D			Ch. Froide		4°C	T
	tergitol		100mL	sigma				reserve chim		RT	53
Tox	tetramethylammonium chloride		50g	sigma		toxique		reserve chim		RT	52-1
AB-AF	thiabendazole		5g	???		AB-AF		reserve chim		RT	34
AB-AF	thiabendazole		100g	sigma		AB-AF		reserve chim		RT	34
AB-AF	thiabendazole pestanal		250 mg	sigma		AB-AF		Ch. Froide		4°C	T
AA	thiamine hydrochloride		25g	sigma		acide amine		reserve chim		RT	17
	thiamine trichlorure		25g	merck				reserve chim		RT	53
col	thiazolyl blue tetrazolium bromide		1g	bio-chemika		col bleu		reserve chim		RT	23
	thiazolylblau tetrazoliumbromid		1g	fluka				Ch. Froide		4°C	T
AB-AF	thimezoral		25g	sigma		AB-AF		reserve chim		RT	34
K	thiocyanate de potassium		1kg	merck		potassium		reserve chim		RT	8'
Na	thioglycolate de sodium		10g	???		sodium		reserve chim		RT	15
uree	Thiouree		250g	acros	2D	uree		placard biochimie		RT	
	thombospondine		???	???		proteine		Manip champi	C9	-20°C	T
	thrombine		250 U + 100	sigma		proteine		Manip champi	C9	-20°C	T
	thymidine		10g	sigma		culture		Frigo cult cell	F1	4°C	T
PH	thymolphtaleine		5g	???		Indicateur pH		reserve chim		RT	32
chelateur	titriplex III (EDTA non sodique)		50g	merck		chelateur		reserve chim		RT	13
	tolnaftate		1g	ICN				Ch. Froide		4°C	T
solv	toluene		200ml	prolabo		solvant		reserve chim		RT	44
solv	toluene		50 ml	???		solvant		reserve chim		RT	44
solv	Toluène	C ₆ H ₅ CH ₃	1 L+1L+1L	Prolabo	3	solvant		reserve N-1			
	tosyl-L-phenylalanine chloromethyl ketone		100mg + 500	fluka				Ch. Froide		4°C	T

AB-AF	trétracycline		5g	sigma		AB-AF		Ch. Froide		4°C	T
AB-AF	tricyclazol		10 mg	fluka		AB-AF		reserve chim		RT	34
chim	triethanolamine		100g	sigma		chimique		reserve chim		RT	48
chim	Triethanolamine	(HOCH ₂ CH ₂) ₃ N	100 ml	Sigma	1	chimique		reserve N-1			
AB-AF	trimethoprim		5g	sigma		AB-AF		Ch. Froide		4°C	T
	Tris(hydroxymethyl)aminomethane (Molecular biology)		1kg*6	biosolve				reserve chim		RT	T
Na	tri-sodium citrate dihydrate		1kg	applichem		sodium		reserve chim		RT	16
Na	tri-sodium citrate dihydrate		1kg	scharlau		sodium		reserve chim		RT	16
Na	tri-sodium citrate dihydrate		1kg+500g	merck		sodium		reserve chim		RT	16
deter	triton X100		1L	prolabo		detergent		reserve chim		RT	37-2
deter	triton X100		tube*2	???		detergent		reserve chim		RT	37-2
deter	triton X100		1l	grosseron		detergent		reserve chim		RT	37-2
deter	triton X100		500mL	sigma		detergent		reserve chim		RT	37-2
deter	triton X100 (pour electrphorese)		500mL	sigma		detergent		reserve chim		RT	37-2
deter	triton X114		500g	serva		detergent		reserve chim		RT	37-1
	trizma hydrochloride		500g	sigma				reserve chim		RT	T
	tropolone		1g	aldrich				Ch. Froide		4°C	T
enz	trypsine		100g+100g+	merck		enzyme		reserve chim		RT	31
cult	tryptic soybean digest broth		500g+500g	BD		culture		preparatoire		RT	
	TSB		100mL *2	VWR				Ch. Froide		4°C	T
	tunicamycine		5mg	sigma				Manip champi	C9	-20°C	T
deter	tween 20		10mL	merck		detergent		reserve chim		RT	37-2
deter	tween 20		500mL	sigma		detergent		reserve chim		RT	37-2
deter	Tween 20		500 ml	Sigma	1	detergent		reserve N-1			
deter	tween 80		500mL	sigma		detergent		reserve chim		RT	37-2
deter	tween 80		20 mL	???		detergent		reserve chim		RT	37-2
deter	Tween 80		500 ml	ICN	1	detergent		reserve N-1			
deter	tween 80 stérile		20mL	???		detergent		reserve chim		RT	37-2
deter	tween 80 stérile		20 mL	???		detergent		reserve chim		RT	37-2
	uptilight one spray WB chemiluminescent		1 kit	uptima		chimiluminescence		Ch. Froide		4°C	U
uree	uree		500g	biorad		uree		reserve chim		RT	6
uree	Uree	NH ₂ CONH ₂	5 kg	Prolabo	1	uree		reserve N-1			
uree	uree		200g	biorad	2D	uree		placard biochimie		RT	
uree	uree		1kg	biosolve		uree		reserve chimique			6

micro	vaseline		100g	CHU		microscopie		reserve chim		RT	39
	vectashield (mounting medium with DAPI)		10 mL	vector	microscopie			Ch. Froide		4°C	V
col	vert brillant		10g	RAL		col vert		reserve chim		RT	22
col	vert de bromocresol		30g	RAL		col vert		reserve chim		RT	22
col	vert de malachite oxalate		100g	RAL		col vert		reserve chim		RT	22
col	vert de malachite oxalate		100g	merck		col vert		reserve chim		RT	22
col	vert de malachite oxalate		25g+25g+10	merck		col vert		reserve chim		RT	22
col	vert de malachite sulfate		50g	prolabo	kato	col vert		reserve chim		RT	22
col	vert lumiere		10g	RAL		col vert		reserve chim		RT	22
col	vert malachite sulfate		25g+25g+10	RAL		col vert		reserve chim		RT	22
col	violet cristallise		100g	RAL		col violet		reserve chim		RT	27
col	violet de gentiane		50g	RAL		col violet		reserve chim		RT	27
col	violet de gentiane		1g	???		col violet		reserve chim		RT	27
col	violet stain paragon		2g	beckman		col violet		reserve chim		RT	27
vit	vitamine A palmitat		100g	merck		vitamine		Ch. Froide		4°C	V
vit	vitamine B12		100 mg	sigma		vitamine		Ch. Froide		4°C	V
vit	vitamine D2		1g	merck		vitamine		Ch. Froide		4°C	V
vit	vitamine K1 (phytomenadione)		1g	merck		vitamine		Ch. Froide		4°C	V
lec	WGA (wheat germ agglutinine)		10 mg	IBF		lectine		Ch. Froide		4°C	W
lec	WGA conjugué à l'or colloidal		1mL	EY laboratorie	microscopie el	lectine		Ch. Froide		4°C	W
	XT reducing agent (20x)		1ml	biorad				Ch. Froide		4°C	X
col	xylene cyanole FF		10g	sigma		col bleu		reserve chim		RT	23
chim	xylene		1L	erba		chimique		reserve chim		RT	48
cult	yeast carbone base		100g	difco		culture		preparatoire		RT	
cult	yeast morphology agar		500g+500g	BD		culture		preparatoire		RT	
cult	yeast morphology agar		10g	difco		culture		preparatoire		RT	
cult	yeast nitrogen base		100g +100g+	BD		culture		preparatoire		RT	
cult	yeast nitrogen base with amino acides and ammonium sulf		1kg	euromedex		culture		preparatoire		RT	
cult	yeast nitrogen base without amino acides and ammonium		100g+100g+	sigma		culture		preparatoire		RT	
cult	YNB (yeast nitrogen base)		100 g+100g+	BD	3	culture		reserve N-1			
cult	Zein agar		500g+500g	difco				preparatoire		RT	
	zeocin		250 mg	ducheffa biochimie				Ch. Froide		4°C	Z
Tox	ziehl-neelsen		500mL	merck		toxique		reserve chim		RT	52-1
Zn	Zinc chloride	ZnCl ₂	250 g	Sigma	1	zinc		reserve N-1			

Zn	zinc stain solution A (imidazole 10x)		125 mL	biorad	coloration gel	zinc		Ch. Froide		4°C	Z
Zn	zinc stain solution B (zinc sulfate 10x)		125 mL	biorad	coloration gel	zinc		Ch. Froide		4°C	Z
Zn	Zinc sulfate	ZnSO ₄ .7H ₂ O	250 g+250g	Prolabo	2	zinc		reserve N-1			
Zn	zinc/copper destain		125 mL	biorad	coloration gel	zinc		Ch. Froide		4°C	Z
enz	zymolyase 20T		1g *2	MP biomedical	extraction levu	enzyme		Ch. Froide		4°C	Z
	zymosan A		1g	sigma			non ouvert	Ch. Froide		4°C	Z

GELS DE CHROMATO EN VRAC

GEL- FILTRATION	Quantité	Fournisseur	Remarque	Gonglé /Sec	Application	Boite	Domaine fractionnement
cellufine	500 mL	amicon	neuf	gonflé	GF	1	
fractogel TSK HW-50 (Sà	250 ml	merck		gonflé	GF	1	
fractogel TSK HW-65 (S)	250 mL	merck		gonflé	GF	1	
sephacryl S-300	750 mL	pharmacia		gonflé	GF	1	
sephacryl S-500 HR	150 mL	pharmacia		gongflé	GF	1	
sephadex G-100	100g + 100g	pharmacia		sec	GF	1	
sephadex G-200	500g	pharmacia		sec	GF	1	
sephadex G-200	100g +500g	pharmacia		sec	GF	1	
sephadex G-25 (medium)	100g	pharmacia		sec	GF	1	
sephadex G-25 (medium)						1	
sephadex G-25 pour BM, DNA grade	25g	sigma		sec	GF	1	
sephadex G-50 (medium)	500 g	pharmacia		sec	GF	1	
sephadex G-50 (coarse)	100g	pharmacia		sec	GF	1	
sephadex G-75	500 g + 500 g	pharmacia		sec	GF	1	
sephadex G-75 (superfine)	100g	pharmacia		sec	GF	1	
sephadex G-75 (superfine)	100g	pharmacia		sec	GF	1	
sephadex G-75-120	50g	sigma		sec	GF	1	
sephadex LH-20	100g	pharmacia		sec	GF ???	1	
sépharose 4B	100 mL	sigma		gonflé	GF	1	60 kDa-2000 kDa
trisacryl GF 05	100 mL	LKB	en azide	gonflé	GF	1	300-2 500
ultrogel ACA 202	1000 mL	LKB		gonflé	GF	1	1-15 kDa
Ultrogel ACA 22	1000 mL + 1000 mL	IBF		gonflé	GF	1	100-1200 kDa

ANTICORPS ET CONJUGUES

Noms											
ANTI-DIVERS	Marquage	Espec source	Espec cible	Anti-isotype	Expiration	Frigo /congelo	Température	Boite	N°	Fournisseurs	Remarque
Mab anti-gliai fibrillary acidic protein	---	mouse	???	GFAP	ND	congelo eΦ	-20°C	H		sigma	
goat anti- IgG (H+L)	---	goat	???	IgG (H+L)	ND	Frigo eΦ	4°C	G	117	biosys	
anti-laminine	---	????	???	laminine	ND	Frigo eΦ	4°C	E	59	rockland	
goat polyclonal IgG anti-laminine gamma 1	---	goat	???	laminine	ND	Frigo eΦ	4°C	E	60	santa cruz	
goat polyclonal IgG anti-laminine beta 1	---	goat	???	laminine	ND	Frigo eΦ	4°C	E	61	santa cruz	
Mab CD41-PAL	PAL	???	???	CD41	ND	Frigo eΦ	4°C	E	70	bioatlantic	
ANTI-BOVINE	Marquage	Espec source	Espec cible	Anti-isotype	Expiration	Frigo /congelo	Température	Boite	N°	Fournisseurs	Remarque
rabbit anti-bovine albumine	---	rabbit	bovine	albumine	ND	Frigo eΦ	4°C	F	81	nordic	
ANTI-CHEVRE	Marquage	Espec source	Espec cible	Anti-isotype	Expiration	Frigo /congelo	Température	Boite	N°	Fournisseurs	Remarque
rabbit anti-goat-FITC	FITC	rabbit	goat	???	ND	Frigo eΦ	4°C	G	105	nordic	
rabbit anti-goat IgG (H+L)-HRPO	HRPO	rabbit	goat	IgG (H+L)	ND	Frigo eΦ	4°C	E	69	rockland	
anti goat IgG (whole)-HRPO	HRPO	???	goat	IgG (whole)	ND	congelo eΦ	-20°C	H		sigma	

ANTI-HUMAIN	Marquage	Espece source	Espece cible	Anti-isotype	Expiration	Frigo /congelo	Température	Boite	N°	Fournisseurs	Remarque
anti-albumine humaine	---	???	human	albumine	avr.-97	Frigo eΦ	4°C	D	56	Biosys	
rabbit anti-human albumine	---	rabbit	human	albumine	ND	Frigo eΦ	4°C	F	85	nordic	
Ac anti-human albumine	---	Ac	human	albumine	ND	congelo eΦ	-20°C	H	93	biosys	
Ac anti-human albumine	---	Ac	human	albumine	ND	congelo eΦ	-20°C	H	98	biosys	
rabbit anti-human albumine	---	rabbit	human	albumine	ND	Frigo eΦ	4°C	F	98	nordic	non ouvert
rabbit anti-human albumine	---	rabbit	human	albumine	ND	Frigo eΦ	4°C	F	100	nordic	
rabbit anti-human albumine	---	rabbit	human	albumine	ND	Frigo eΦ	4°C	F	101	nordic	
goat anti-human albumine	---	goat	human	albumine	ND	Frigo eΦ	4°C	G	102	nordic	
Ac anti-human albumine	---	Ac	human	albumine	ND	Frigo eΦ	4°C	G	121	biosys	
Ac anti-human albumine	---	Ac	human	albumine	ND	Frigo eΦ	4°C	G	122	biosys	
Ac anti-human albumine	---	Ac	human	albumine	ND	congelo eΦ	-20°C	H		biosys	
Ac anti-human albumine	---	Ac	human	albumine	ND	congelo eΦ	-20°C	H		biosys	
goat anti-human IgA (alpha)	---	goat	human	IgA (alpha)	avr.-94	Frigo eΦ	4°C	D	57	caltag	
sheep anti-human IgA (alpha)	---	sheep	human	IgA (alpha)	ND	Frigo eΦ	4°C	G	118	biosys	
goat anti-human IgG(Fc)	---	goat	human	IgG (Fc)	août-96	Frigo eΦ	4°C	E	66	caltag	
rabbit anti-human IgG (Fc)	---	rabbit	human	IgG (Fc)	ND	Frigo eΦ	4°C	F	87	nordic	
goat anti-human IgG (Fc)	---	goat	human	IgG (Fc)	ND	congelo eΦ	-20°C	H		sigma	
goat anti-human IgG (gamma)	---	goat	human	IgG (gamma)	ND	Frigo eΦ	4°C	G	112	biosys	
Ac anti-human IgG (gamma)	---	Ac	human	IgG (gamma)	ND	Frigo eΦ	4°C	G	113	biosys	
rabbit anti-human (IgG) (H+L)	---	rabbit	human	IgG (H+L)	ND	Frigo eΦ	4°C	F	99	nordic	
sheep anti-human IgG (H+L)	---	goat	human	IgG (H+L)	ND	Frigo eΦ	4°C	G	114	biosys	
AcM anti-human IgG1	---	???	human	IgG1	fev 97	Frigo eΦ	4°C	E	67	biosys	
goat anti-human IgM (mu)	---	goat	human	IgM	avr.-94	Frigo eΦ	4°C	D	58	caltag	
Ac anti-human IgM (mu)	---	Ac	human	IgM (mu)	ND	Frigo eΦ	4°C	G	120	biosys	
goat antiserum anti-human kappa	---	goat	human	kappa	ND	congelo eΦ	-20°C	H		sigma	
Mab anti-human thrombospondine	---	Mab	human	thrombospond	ND	congelo eΦ	-20°C	H		sigma	
Ac anti-human albumine-FITC	FITC	Ac	human	albumine	ND	Frigo eΦ	4°C	G	111	biosys	
anti-human fibronectine-FITC	FITC	???	human	fibronectine	fev 90	Frigo eΦ	4°C	G	30	ICN	
Fab anti-human IgG (gamma)-FITC	FITC	Fab	human	IgG (gamma)	ND	Frigo eΦ	4°C	G	108	biosys	
Fab anti-human IgG (gamma)-FITC	FITC	Fab	human	IgG (gamma)	ND	Frigo eΦ	4°C	G	109	biosys	
anti-human lysozyme-FITC	FITC	????	human	lysozyme	janv-90	Frigo eΦ	4°C	E	65	ICN	
Ac anti-human IgA (alpha)-HRPO	HRPO	Ac	human	IgA (alpha)	ND	Frigo eΦ	4°C	G	107	biosys	
goat anti-human IgG (Fc)-HRPO, affinity purified	HRPO	goat	human	IgG (Fc)	ND	Frigo eΦ	4°C	C		novex	non ouvert
goat anti human IgG Fc-HRPO affiniy	HRPO	goat	human	IgG (Fc)	ND	Frigo eΦ	4°C	C			
goat anti-human IgG(Fc)-HRPO, affinity purified	HRPO	goat	human	IgG (Fc)	ND	Frigo eΦ	4°C	C		novex	
goat anti-human IgG(gamma)-HRPO	HRPO	goat	human	IgG (gamma)	ND	Frigo eΦ	4°C	C		caltag/invitrogen	

mouse anti-human IgG2-HRPO	HRPO	mouse	human	IgG2	ND	congeló eΦ	-20°C	H		???	
mouse anti-human IgG4-HRPO	HRPO	????	human	IgG4	sept-07	Frigo eΦ	4°C	C			
goat anti human IgGAM-HRPO	HRPO	goat	human	IgGAM	juin-12	Frigo eΦ	4°C	C	51		
goat anti-human IgGAM (H+L)-HRPO	HRPO	goat	human	IgGAM (H+L)	ND	Frigo eΦ	4°C	C		pierce	non ouvert
goat anti-human IgM (mu)-HRPO	HRPO	goat	human	IgM (mu)	juin-93	Frigo eΦ	4°C	E	63	tebu	
Ac anti-human IgM(mu)-HRPO	HRPO	???	human	IgM (mu)	janv-99	Frigo eΦ	4°C	E	64	biosys	
goat antiserum anti- human lambda	---	goat	human	lambda	ND	congeló eΦ	-20°C	H		sigma	non ouvert
Ac anti-human IgG (gamma)-FITC	FITC	Ac	human	IgG (gamma)	ND	Frigo eΦ	4°C	G	110	biosys	
goat anti-human IgA (alpha)-HRPO	HRPO	goat	human	IgA (alpha)	juin-93	Frigo eΦ	4°C	C	29	tebu	
goat anti-human IgE (Fc)-HRPO	HRPO	goat	human	IgE (Fc)	ND	Frigo eΦ	4°C	G	103	nordic	
Ac anti-human IgG (gamma)-HRPO	HRPO	???	human	IgG (gamma)	avr-98	Frigo eΦ	4°C	C	26	BIOSYS	
rabbit anti-human IgG (gamma)-HRPO	HRPO	rabbit	human	IgG (gamma)	janv-95	Frigo eΦ	4°C	C	28	dako	
Ac anti-human IgG (gamma)-HRPO	HRPO	???	human	IgG (gamma)	avr-91	Frigo eΦ	4°C	C	47	BIOSYS	
Ac anti-human IgG (gamma)-HRPO	HRPO	???	human	IgG (gamma)	avr-98	Frigo eΦ	4°C	C	48	BIOSYS	
Ac anti-human IgM (mu)-HRPO	HRPO	Ac	human	IgM (mu)	janv-99	Frigo eΦ	4°C	G	27	biosys	

ANTI-SOURIS	Marquage	Espec source	Espec cible	Anti-isotype	Expiration	Frigo /congelo	Température	Boite	N°	Fournisseurs	Remarque
rabbit anti-mouse albumine	---	rabbit	mouse	albumine	ND	Frigo eΦ	4°C	F	80	nordic	
rabbit anti-mouse albumine	---	rabbit	mouse	albumine	ND	Frigo eΦ	4°C	F	82	nordic	
rabbit anti-mouse albumine	---	rabbit	mouse	albumine	ND	Frigo eΦ	4°C	F	83	nordic	
rabbit anti-mouse albumine	---	rabbit	mouse	albumine	ND	Frigo eΦ	4°C	F	84	nordic	non ouvert
rabbit anti-mouse alpha 2 macroglobuline	---	rabbit	mouse	alpha 2 macro	ND	Frigo eΦ	4°C	F	89	nordic	
goat anti-mouse C3c	---	goat	mouse	C3c	ND	Frigo eΦ	4°C	F	93	nordic	
goat anti-mouse C3c	---	goat	mouse	C3c	ND	Frigo eΦ	4°C	F	94	nordic	
goat anti-mouse fibrinogene	---	goat	mouse	fibrinogene	ND	Frigo eΦ	4°C	F	91	nordic	
goat anti-mouse fibrinogene	---	goat	mouse	fibrinogene	ND	Frigo eΦ	4°C	F	92	nordic	
goat anti-mouse IgG	---	goat	mouse	IgG	ND	Frigo eΦ	4°C	F	96	nordic	
rabbit anti-mouse IgG(Fc)	---	rabbit	mouse	IgG (Fc)	ND	Frigo eΦ	4°C	F	86	nordic	
goat anti-mouse IgG (gamma)	---	goat	mouse	IgG (gamma)	ND	Frigo eΦ	4°C	D	51	sigma	
rabbit anti-mouse IgG (H+L)	---	rabbit	mouse	IgG (H+L)	ND	Frigo eΦ	4°C	F	88	nordic	
goat anti-mouse IgG1 (gamma)	---	goat	mouse	IgG1 (gamma)	ND	Frigo eΦ	4°C	D	52	sigma	
goat anti-mouse IgG-3 (gamma) human adsorbé	---	goat	mouse	IgG3 (gamma)	janv.-94	Frigo eΦ	4°C	D	53	caltag	
goat anti-mouse IgM (mu)	---	goat	mouse	IgM (mu)	juin-00	Frigo eΦ	4°C	D	54	caltag	
Ac anti-mouse IgM(mu)	---	???	mouse	IgM (mu)	dec 91	Frigo eΦ	4°C	D	55	biosys	
Mab anti-mouse kappa light chain	---	Mab	mouse	kappa	ND	congelo eΦ	-20°C	H		sigma	
goat anti-mouse TRF	---	goat	mouse	TRF	ND	Frigo eΦ	4°C	F	95	nordic	
anti-mouse tubuline	????	????	mouse	tubuline	ND	congelo eΦ	-20°C	H		???	
rabbit anti-mouse albumine-FITC	FITC	rabbit	mouse	albumine	ND	Frigo eΦ	4°C	F	90	nordic	
goat anti-mouse fibrinogene-FITC	FITC	goat	mouse	fibrinogene	ND	Frigo eΦ	4°C	F	97	nordic	
Ac anti-mouse IgG (Fc)-FITC	FITC	Ac	mouse	IgG (Fc)	ND	congelo eΦ	-20°C	H	1	ICN	
rabbit IgG anti-mouse serum -FITC	FITC	rabbit	mouse	serum	ND	Frigo eΦ	4°C	E	72	Rockland	
goat anti mouse IgG (gamma)-HRPO	HRPO	goat	mouse	IgG (gamma)	mai-09	Frigo eΦ	4°C	A	3A		
goat anti mouse IgG(H+L)-HRPO affinity purified	HRPO	goat	mouse	IgG (H+L)	ND	Frigo eΦ	4°C	A	2		
goat anti-mouse IgG (Whole)-HRPO	HRPO	goat	mouse	IgG (whole)	ND	congelo eΦ	-20°C	H		sigma	
goat anti-mouse IgM(mu)-HRPO	HRPO	goat	mouse	IgM (mu)	ND	Frigo eΦ	4°C	A			
goat anti-mouse IgG (gamma)-PaL	PAL	goat	mouse	IgG (gamma)	juil.-02	Frigo eΦ	4°C	B	14	caltag	
goat anti-mouse IgM (mu)-PAL	PAL	goat	mouse	IgG (mu)	janv.-02	Frigo eΦ	4°C	B	8	caltag	
goat anti-mouse IgG1 (gamma)-PAL	PAL	goat	mouse	IgG1 (gamma)	déc.-03	Frigo eΦ	4°C	B	11	caltag	
goat anti-mouse IgG2a (gamma)-PAL	PAL	goat	mouse	IgG2a (gamma)	déc.-99	Frigo eΦ	4°C	B	16	caltag	
rabbit anti-mouse IgG2b(gamma)-Pal	PAL	rabbit	mouse	IgG2b (gamma)	ND	Frigo eΦ	4°C	B	10	rockland	
Fab anti-mouse IgG	---	Ac	mouse	IgG	ND	Frigo eΦ	4°C	G	119	biosys	
goat anti-mouse IgG (gamma)-FITC	FITC	goat	mouse	IgG (gamma)	mai-10	Frigo eΦ	4°C	A	201		

Goat anti-mouse IgM (mu) -FITC	FITC	goat	mouse	IgM (mu)	mars-10	Frigo eΦ	4°C	A	200		
goat anti mouse IgE -HRPO	HRPO	goat	mouse	IgE	ND	Frigo eΦ	4°C	A	45		
goat anti-mouse IgG (Fab spe)-HRPO	HRPO	goat	mouse	IgG (Fab)	ND	congelé eΦ	-20°C	H		sigma	
goat anti-mouse IgG (H+L)-HRPO	HRPO	goat	mouse	IgG (H+L)	ND	Frigo eΦ	4°C	A	6I +6J		
goat anti-mouse IgG1 (gamma)-HRPO	HRPO	goat	mouse	IgG1 (gamma)	fevrier 2009	Frigo eΦ	4°C	A	46		
goat anti mouse IgGAM (H+L)-HRPO	HRPO	goat	mouse	IgGAM (H+L)	ND	Frigo eΦ	4°C	A			non ouvert
goat anti-mouse IgG2b-Pal	PAL	goat	mouse	IgG2b (gamma)	nov.-03	Frigo eΦ	4°C	B	13	caltag	
goat anti-mouse kappa-PAL	PAL	goat	mouse	kappa	juil.-98	Frigo eΦ	4°C	B	12	caltag	
goat anti-mouse lambda-PAL	PAL	goat	mouse	lambda	oct.-98	Frigo eΦ	4°C	B	15	caltag	

ANTI-LAPIN	Marquage	Espece source	Espece cible	Anti-isotype	Expiration	Frigo /congel	Température	Boite	N°	Fournisseurs	Remarque
goat anti-rabbit fibrinogene	---	goat	rabbit	fibrinogene	ND	Frigo eΦ	4°C	G	104	nordic	
goat anti-rabbit IgG	---	goat	rabbit	IgG	ND	Frigo eΦ	4°C	E	76	sigma	
Ac anti-rabbit IgG (H+L)	---	Ac	rabbit	IgG (H+L)	ND	Frigo eΦ	4°C	G	115	biosys	
goat anti-rabbit IgG (H+L)-ferritine	ferritine	goat	rabbit	IgG (H+L)	ND	congel eΦ	-20°C	H		miles scientific	
swine (Fab')2- anti-rabbit-FITC	FITC	swine	rabbit	???	ND	Frigo eΦ	4°C	E	62	dako	
Ac anti-rabbit IgG (H+L)-HRPO	HRPO	Ac	rabbit	IgG (H+L)	ND	congel eΦ	-20°C	H	24	biosys	
Ac anti-rabbit IgG (H+L)-HRPO	HRPO	Ac	rabbit	IgG (H+L)	ND	congel eΦ	-20°C	H	25	biosys	
Ac anti-rabbit IgG (H+L)-HRPO	HRPO	Ac	rabbit	IgG (H+L)	ND	congel eΦ	-20°C	H	26	biosys	
Ac anti-rabbit -IgG (H+L)-HRPO	HRPO	Ac	rabbit	IgG (H+L)	Nd	congel eΦ	-20°C	H	27	biosys	
anti-rabbit IgG(H+L)-HRPO	HRPO	???	rabbit	IgG (H+L)	ND	Frigo eΦ	4°C	C			
sheep (Fab')2-anti-rabbit IgG-PAL	PAL	sheep	rabbit	IgG	ND	Frigo eΦ	4°C	E	68	sigma	
goat-anti-rabbit IgG (Fc)-PAL	PAL	goat	rabbit	IgG (Fc)	ND	Frigo eΦ	4°C	C		rockland	
Mab RG-96 anti-rabbit IgG(gamma)-PAL	PAL	Mab	rabbit	IgG (gamma)	ND	Frigo eΦ	4°C	C	25		
goat anti-rabbit IgG(H+L) human adsorbé-PAL	PAL	goat	rabbit	IgG (H+L)	mars-03	Frigo eΦ	4°C	C	22	caltag	
goat F(ab')2 anti-rabbit IgG(H+L)-PAL	PAL	goat	rabbit	IgG (H+L)	juin-01	Frigo eΦ	4°C	C	23	cedarlane	
sheep IgG anti-rabbit IgG (H+L)-PAL	PAL	sheep	rabbit	IgG (H+L)	mars-03	Frigo eΦ	4°C	C	24	uptima/interchim	
sheep IgG anti-rabbit IgG (H+L)-PAL	PAL	sheep	rabbit	IgG (H+L)	mars-03	Frigo eΦ	4°C	C	44	uptima/interchim	
ANTI-RAT	Marquage	Espece source	Espece cible	Anti-isotype	Expiration	Frigo /congel	Température	Boite	N°	Fournisseurs	Remarque
Ac anti-rat IgG (H+L)	---	Ac	rat	IgG (H+L)	ND	Frigo eΦ	4°C	G	116	biosys	
Mab anti-rat kappa et lambda chaine légère	---	mouse	rat	kappa/lambda	ND	Frigo eΦ	4°C	E	75	sigma	
goat anti-rat IgG (Fc)-HRPO	HRPO	goat	rat	IgG (Fc)	ND	Frigo eΦ	4°C	E	73	rockland	
ANTI-MOUTON	Marquage	Espece source	Espece cible	Anti-isotype	Expiration	Frigo /congel	Température	Boite	N°	Fournisseurs	Remarque
rabbit anti-mouton IgG(H+L)-HRPO	HRPO	rabbit	sheep	IgG (H+L)	Nd	Frigo eΦ	4°C	D		rockland	
rabbit anti-sheep IgG (H+L)-PAL	PAL	rabbit	sheep	IgG (H+L)	ND	Frigo eΦ	4°C	E	71	rockland	

Liste congélo et frigo

Type et N°	N° salle	Salle	Destination
F1	4307	cult cell	milieux de culture cell
F2	4316	manip champi	conservation culture champi
F3	4317	manip bacteries-levures	commun: PVDP, Charlotte, Cindy
F4	4320	préparatoire	conservation milieu de culture
C1	4316	manip champi	Anne, PVDP, Amandine G, sandrine G, Julia, Marc, Laetitia et commun bio-mol
C2	4308	post PCR	Cryobilles souches + BM (RT-PCR et stepone)
C3	4317	manip bactérie levures	Matériel Charlotte et Cindy
C4	4316	manip champi	Bénédictes (organes)
C5	4317	manip bactérie levures	matériel Agnès
C6	4317	manip bacteries-levures	Anais
C7	4307	cult cell	sngt culture hybridome, réactif culture
C8	4306	pré-PCR	Primers et polymérase
C9	4316	manip champi	molécules congelées communes
FC1	4316	manip champi	A Ranger !!
FC2	4311	biochimie	matériel électrophorèse, ELISA, W-blot, Anticorps conjugués
FC3	4314	cult bactérie-levures	réactifs
FC4	4312	cult champi	cultures en cours
-80°	4328	salle réfrigérée	
-80°	4328	salle réfrigérée	

N°

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21 colorant rouge

22

23

24 colorant noir

25 colorant divers

26 colorant haune

27 colorant violet

28 colorant orange

29 colorant rose

30

31

32

33 preparation cellule

34 antifongique antibiotique

35 ?????

36 derive iode

37	detergents
38	PEG
39	microscopie
40	
41	
42	
43	
44	
45	
46	
47	
48	
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	
60	